



Fiber Optic Patch Cords  #06835 Net Price: 3.13 USD Unit: pcs Patchcord SC/UPC-SC/UPC, MM, 50/125 duplex, OM4 fiber, 1 m	 #06836 Net Price: 3.66 USD Unit: pcs Patchcord SC/UPC-SC/UPC, MM, 50/125 duplex, OM4 fiber, 2 m	 #06837 Net Price: 4.19 USD Unit: pcs Patchcord SC/UPC-SC/UPC, MM, 50/125 duplex, OM4 fiber, 3 m
 #06839 Net Price: 5.54 USD Unit: pcs Patchcord SC/UPC-SC/UPC, MM, 50/125 duplex, OM4 fiber, 5 m	 #06840 Net Price: 8.34 USD Unit: pcs Patchcord SC/UPC-SC/UPC, MM, 50/125 duplex, OM4 fiber, 10 m	 #06944 Net Price: 12.30 USD Unit: pcs Patchcord SC/UPC-SC/UPC, MM, 50/125 duplex, OM4 fiber, 15 m
 #08604 Net Price: 2.92 USD Unit: pcs Patchcord SC/APC-SC/APC, SM, 9/125 duplex, G652D fiber, 1 m Patchcord duplex L=1m Insertion Loss: <=0.20dB Return Loss: >=60dB Repeatability: <=0.1dB Durability: <=0.1 dB typical change, 500 matings Interchangeability: <=0.2dB Tensile Strength: >10kg Operating Temperature: -40 + 80°C	 #08605 Net Price: 3.06 USD Unit: pcs Patchcord SC/APC-SC/APC, SM, 9/125 duplex, G652D fiber, 2 m Patchcord duplex L=2m Insertion Loss: <=0.20dB Return Loss: >=60dB Repeatability: <=0.1dB Durability: <=0.1 dB typical change, 500 matings Interchangeability: <=0.2dB Tensile Strength: >10kg Operating Temperature: -40 + 80°C	 #08606 Net Price: 3.20 USD Unit: pcs Patchcord SC/APC-SC/APC, SM, 9/125 duplex, G652D fiber, 3 m Patchcord duplex L=3m Insertion Loss: <=0.20dB Return Loss: >=60dB Repeatability: <=0.1dB Durability: <=0.1 dB typical change, 500 matings Interchangeability: <=0.2dB Tensile Strength: >10kg Operating Temperature: -40 + 80°C
 #08607 Net Price: 3.66 USD Unit: pcs Patchcord SC/APC-SC/APC, SM, 9/125 duplex, G652D fiber, 5 m Patchcord duplex L=5m Insertion Loss: <=0.20dB Return Loss: >=60dB Repeatability: <=0.1dB Durability: <=0.1 dB typical change, 500 matings Interchangeability: <=0.2dB Tensile Strength: >10kg Operating Temperature: -40 + 80°C	 #04500 Net Price: 4.39 USD Unit: pcs Patchcord SC/APC-SC/APC, SM, 9/125 duplex, G652D fiber, 10 m Patchcord duplex L=10m Insertion Loss: <=0.20dB Return Loss: >=60dB Repeatability: <=0.1dB Durability: <=0.1 dB typical change, 500 matings Interchangeability: <=0.2dB Tensile Strength: >10kg Operating Temperature: -40 + 80°C	 #04520 Net Price: 5.63 USD Unit: pcs Patchcord SC/APC-SC/APC, SM, 9/125 duplex, G652D fiber, 15 m Patchcord duplex L=15m Insertion Loss: <=0.20dB Return Loss: >=60dB Repeatability: <=0.1dB Durability: <=0.1 dB typical change, 500 matings Interchangeability: <=0.2dB Tensile Strength: >10kg Operating Temperature: -40 + 80°C
 #08894 Net Price: 2.93 USD Unit: pcs Patchcord SC/APC-SC/APC, SM, 9/125 duplex, G657A1 fiber, 1 m Patchcord duplex L=1m	 #08594 Net Price: 3.08 USD Unit: pcs Patchcord SC/APC-SC/APC, SM, 9/125 duplex, G657A1 fiber, 2 m Patchcord duplex L=2m	 #08595 Net Price: 3.23 USD Unit: pcs Patchcord SC/APC-SC/APC, SM, 9/125 duplex, G657A1 fiber, 3 m Patchcord duplex L=3m
 #08896 Net Price: 3.72 USD Unit: pcs Patchcord SC/APC-SC/APC, SM, 9/125 duplex, G657A1 fiber, 5 m Patchcord duplex L=5m	 #08834 Net Price: 2.87 USD Unit: pcs Patchcord SC/APC-SC/UPC, SM, 9/125 duplex, G652D fiber, 1 m Patchcord duplex L=1m	 #08835 Net Price: 3.01 USD Unit: pcs Patchcord SC/APC-SC/UPC, SM, 9/125 duplex, G652D fiber, 2 m Patchcord duplex L=2m



#08836
Net Price:
3.15 USD
Unit: pcs

**Patchcord SC/APC-SC/UPC, SM, 9/125 duplex,
G652D fiber, 3 m**
Patchcord duplex L=3m



#08837
Net Price:
3.61 USD
Unit: pcs

**Patchcord SC/APC-SC/UPC, SM, 9/125 duplex,
G652D fiber, 5 m**
Patchcord duplex L=5m



#04501
Net Price:
4.34 USD
Unit: pcs

**Patchcord SC/APC-SC/UPC, SM, 9/125 duplex,
G652D fiber, 10 m**
Patchcord duplex L=10m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#04521
Net Price:
5.58 USD
Unit: pcs

**Patchcord SC/APC-SC/UPC, SM, 9/125 duplex,
G652D fiber, 15 m**
Patchcord duplex L=15m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#08597
Net Price:
2.88 USD
Unit: pcs

**Patchcord SC/APC-SC/UPC, SM, 9/125 duplex,
G657A1 fiber, 1 m**
Patchcord duplex L=1m



#08892
Net Price:
3.04 USD
Unit: pcs

**Patchcord SC/APC-SC/UPC, SM, 9/125 duplex,
G657A1 fiber, 2 m**
Patchcord duplex L=2m



#08599
Net Price:
3.19 USD
Unit: pcs

**Patchcord SC/APC-SC/UPC, SM, 9/125 duplex,
G657A1 fiber, 3 m**
Patchcord duplex L=3m



#08596
Net Price:
3.67 USD
Unit: pcs

**Patchcord SC/APC-SC/UPC, SM, 9/125 duplex,
G657A1 fiber, 5 m**
Patchcord duplex L=5m



#08608
Net Price:
2.78 USD
Unit: pcs

**Patchcord SC/UPC-SC/UPC, MM, 50/125 duplex,
OM2 fiber, 1 m**
Patchcord duplex L=1m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08609
Net Price:
2.97 USD
Unit: pcs

**Patchcord SC/UPC-SC/UPC, MM, 50/125 duplex,
OM2 fiber, 2 m**
Patchcord duplex L=2m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08610
Net Price:
3.15 USD
Unit: pcs

**Patchcord SC/UPC-SC/UPC, MM, 50/125 duplex,
OM2 fiber, 3 m**
Patchcord duplex L=3m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08611
Net Price:
3.71 USD
Unit: pcs

**Patchcord SC/UPC-SC/UPC, MM, 50/125 duplex,
OM2 fiber, 5 m**
Patchcord duplex L=5m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#04502
Net Price:
4.68 USD
Unit: pcs

**Patchcord SC/UPC-SC/UPC, MM, 50/125 duplex,
OM2 fiber, 10 m**
Patchcord duplex L=10m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#04522
Net Price:
6.22 USD
Unit: pcs

**Patchcord SC/UPC-SC/UPC, MM, 50/125 duplex,
OM2 fiber, 15 m**
Patchcord duplex L=15m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08867
Net Price:
2.85 USD
Unit: pcs

**Patchcord SC/UPC-SC/UPC, MM, 50/125 duplex,
OM3 fiber, 1 m**



#08210
Net Price:
3.10 USD
Unit: pcs

**Patchcord SC/UPC-SC/UPC, MM, 50/125 duplex,
OM3 fiber, 2 m**



#08211
Net Price:
3.36 USD
Unit: pcs

**Patchcord SC/UPC-SC/UPC, MM, 50/125 duplex,
OM3 fiber, 3 m**



#08212
Net Price:
4.07 USD
Unit: pcs

**Patchcord SC/UPC-SC/UPC, MM, 50/125 duplex,
OM3 fiber, 5 m**



#08877
Net Price:
3.99 USD
Unit: pcs

Patchcord SC/UPC-SC/UPC, MM, 62.5/125 duplex, OM1 fiber, 1 m
Patchcord duplex L=1m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#08878
Net Price:
3.15 USD
Unit: pcs

Patchcord SC/UPC-SC/UPC, MM, 62.5/125 duplex, OM1 fiber, 2 m
Patchcord duplex L=2m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#08879
Net Price:
3.43 USD
Unit: pcs

Patchcord SC/UPC-SC/UPC, MM, 62.5/125 duplex, OM1 fiber, 3 m
Patchcord duplex L=3m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#08880
Net Price:
4.20 USD
Unit: pcs

Patchcord SC/UPC-SC/UPC, MM, 62.5/125 duplex, OM1 fiber, 5 m
Patchcord duplex L=5m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#08881
Net Price:
5.66 USD
Unit: pcs

Patchcord SC/UPC-SC/UPC, MM, 62.5/125 duplex, OM1 fiber, 10 m
Patchcord duplex L=10m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#08882
Net Price:
7.83 USD
Unit: pcs

Patchcord SC/UPC-SC/UPC, MM, 62.5/125 duplex, OM1 fiber, 15 m
Patchcord duplex L=15m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#08600
Net Price:
2.83 USD
Unit: pcs

Patchcord SC/UPC-SC/UPC, SM, 9/125 duplex, G652D fiber, 1 m
Patchcord duplex L=1m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#08601
Net Price:
2.97 USD
Unit: pcs

Patchcord SC/UPC-SC/UPC, SM, 9/125 duplex, G652D fiber, 2 m
Patchcord duplex L=2m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#08602
Net Price:
3.10 USD
Unit: pcs

Patchcord SC/UPC-SC/UPC, SM, 9/125 duplex, G652D fiber, 3 m
Patchcord duplex L=3m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#08603
Net Price:
3.56 USD
Unit: pcs

Patchcord SC/UPC-SC/UPC, SM, 9/125 duplex, G652D fiber, 5 m
Patchcord duplex L=5m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#04503
Net Price:
4.29 USD
Unit: pcs

Patchcord SC/UPC-SC/UPC, SM, 9/125 duplex, G652D fiber, 10 m
Patchcord duplex L=10m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#04523
Net Price:
5.53 USD
Unit: pcs

Patchcord SC/UPC-SC/UPC, SM, 9/125 duplex, G652D fiber, 15 m
Patchcord duplex L=15m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#08199
Net Price:
2.83 USD
Unit: pcs

Patchcord SC/UPC-LC/APC, SM, 9/125 duplex, G652D fiber, 1 m
Patchcord duplex L=1m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#04491
Net Price:
5.41 USD
Unit: pcs

Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex, OM3 fiber, 10 m



#04492
Net Price:
7.43 USD
Unit: pcs

Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex, OM3 fiber, 15 m



#07398
Net Price:
3.10 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex,
OM3 fiber, 2 m**



#08213
Net Price:
3.36 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex,
OM3 fiber, 3 m**



#07397
Net Price:
4.07 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex,
OM3 fiber, 5 m**



#07495
Net Price:
3.13 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex,
OM4 fiber, 1 m**



#07499
Net Price:
8.34 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex,
OM4 fiber, 10 m**



#06834
Net Price:
12.30 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex,
OM4 fiber, 15 m**



#07496
Net Price:
3.66 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex,
OM4 fiber, 2 m**



#07497
Net Price:
4.19 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex,
OM4 fiber, 3 m**



#07498
Net Price:
5.54 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex,
OM4 fiber, 5 m**



#08628
Net Price:
2.87 USD
Unit: pcs

**Patchcord SC/APC-LC/APC, SM, 9/125 duplex,
G652D fiber, 1 m**

Patchcord duplex L=1m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#08629
Net Price:
3.01 USD
Unit: pcs

**Patchcord SC/APC-LC/APC, SM, 9/125 duplex,
G652D fiber, 2 m**

Patchcord duplex L=2m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#08630
Net Price:
3.15 USD
Unit: pcs

**Patchcord SC/APC-LC/APC, SM, 9/125 duplex,
G652D fiber, 3 m**

Patchcord duplex L=3m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#08631
Net Price:
3.61 USD
Unit: pcs

**Patchcord SC/APC-LC/APC, SM, 9/125 duplex,
G652D fiber, 5 m**

Patchcord duplex L=5m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#04507
Net Price:
4.34 USD
Unit: pcs

**Patchcord SC/APC-LC/APC, SM, 9/125 duplex,
G652D fiber, 10 m**

Patchcord duplex L=10m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#04527
Net Price:
5.58 USD
Unit: pcs

**Patchcord SC/APC-LC/APC, SM, 9/125 duplex,
G652D fiber, 15 m**

Patchcord duplex L=15m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#08830
Net Price:
2.87 USD
Unit: pcs

**Patchcord SC/APC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 1 m**

Patchcord duplex L=1m



#08831
Net Price:
3.01 USD
Unit: pcs

**Patchcord SC/APC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 2 m**

Patchcord duplex L=2m



#08832
Net Price:
3.15 USD
Unit: pcs

**Patchcord SC/APC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 3 m**

Patchcord duplex L=3m



#08833
Net Price:
3.61 USD
Unit: pcs

**Patchcord SC/APC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 5 m**

Patchcord duplex L=5m



#04506
Net Price:
4.34 USD
Unit: pcs

**Patchcord SC/APC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 10 m**

Patchcord duplex L=10m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#04526
Net Price:
5.58 USD
Unit: pcs

**Patchcord SC/APC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 15 m**

Patchcord duplex L=15m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#08632
Net Price:
2.78 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex,
OM2 fiber, 1 m**

Patchcord duplex L=1m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08866
Net Price:
2.85 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex,
OM3 fiber, 1 m**

Patchcord duplex L=1m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08633
Net Price:
2.97 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex,
OM2 fiber, 2 m**

Patchcord duplex L=2m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08634
Net Price:
3.15 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex,
OM2 fiber, 3 m**

Patchcord duplex L=3m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08635
Net Price:
3.71 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex,
OM2 fiber, 5 m**

Patchcord duplex L=5m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#04505
Net Price:
4.68 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex,
OM2 fiber, 10 m**

Patchcord duplex L=10m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#04525
Net Price:
6.22 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 50/125 duplex,
OM2 fiber, 15 m**

Patchcord duplex L=15m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08883
Net Price:
2.87 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 62.5/125 duplex,
OM1 fiber, 1 m**

Patchcord duplex L=1m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08884
Net Price:
3.15 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 62.5/125 duplex,
OM1 fiber, 2 m**

Patchcord duplex L=2m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08885
Net Price:
3.43 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 62.5/125 duplex,
OM1 fiber, 3 m**

Patchcord duplex L=3m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08886
Net Price:
4.20 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 62.5/125 duplex,
OM1 fiber, 5 m**

Patchcord duplex L=5m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08887
Net Price:
5.66 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 62.5/125 duplex,
OM1 fiber, 10 m**

Patchcord duplex L=10m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08888
Net Price:
7.83 USD
Unit: pcs

**Patchcord SC/UPC-LC/UPC, MM, 62.5/125 duplex,
OM1 fiber, 15 m**

Patchcord duplex L=15m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08624

Net Price:
2.83 USD
Unit: pcs**Patchcord SC/UPC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 1 m**Patchcord duplex L=1m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C

#08625

Net Price:
2.97 USD
Unit: pcs**Patchcord SC/UPC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 2 m**Patchcord duplex L=2m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C

#08626

Net Price:
3.10 USD
Unit: pcs**Patchcord SC/UPC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 3 m**Patchcord duplex L=3m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C

#08627

Net Price:
3.56 USD
Unit: pcs**Patchcord SC/UPC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 5 m**Patchcord duplex L=5m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C

#04504

Net Price:
4.29 USD
Unit: pcs**Patchcord SC/UPC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 10 m**Patchcord duplex L=10m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C

#04524

Net Price:
5.53 USD
Unit: pcs**Patchcord SC/UPC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 15 m**Patchcord duplex L=15m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C

#08640

Net Price:
2.87 USD
Unit: pcs**Patchcord SC/UPC-FC/UPC, MM, 50/125 duplex,
OM2 fiber, 1 m**Patchcord duplex L=1m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C

#08641

Net Price:
3.06 USD
Unit: pcs**Patchcord SC/UPC-FC/UPC, MM, 50/125 duplex,
OM2 fiber, 2 m**Patchcord duplex L=2m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C

#08642

Net Price:
3.24 USD
Unit: pcs**Patchcord SC/UPC-FC/UPC, MM, 50/125 duplex,
OM2 fiber, 3 m**Patchcord duplex L=3m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C

#08643

Net Price:
3.80 USD
Unit: pcs**Patchcord SC/UPC-FC/UPC, MM, 50/125 duplex,
OM2 fiber, 5 m**Patchcord duplex L=5m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C

#08636

Net Price:
2.87 USD
Unit: pcs**Patchcord SC/UPC-FC/UPC, SM, 9/125 duplex,
G652D fiber, 1 m**Patchcord duplex L=1m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C

#08637

Net Price:
3.01 USD
Unit: pcs**Patchcord SC/UPC-FC/UPC, SM, 9/125 duplex,
G652D fiber, 2 m**Patchcord duplex L=2m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C

#08638

Net Price:
3.15 USD
Unit: pcs**Patchcord SC/UPC-FC/UPC, SM, 9/125 duplex,
G652D fiber, 3 m**Patchcord duplex L=3m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C

#08639

Net Price:
3.61 USD
Unit: pcs**Patchcord SC/UPC-FC/UPC, SM, 9/125 duplex,
G652D fiber, 5 m**Patchcord duplex L=5m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C

#04515

Net Price:
2.97 USD
Unit: pcs**Patchcord ST/UPC-ST/UPC, MM, 50/125 duplex,
OM2 fiber, 1 m**Patchcord duplex L=1m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#04516
Net Price:
3.15 USD
Unit: pcs

**Patchcord ST/UPC-ST/UPC, MM, 50/125 duplex,
OM2 fiber, 2 m**

Patchcord duplex L=2m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#04517
Net Price:
3.34 USD
Unit: pcs

**Patchcord ST/UPC-ST/UPC, MM, 50/125 duplex,
OM2 fiber, 3 m**

Patchcord duplex L=3m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#04518
Net Price:
3.90 USD
Unit: pcs

**Patchcord ST/UPC-ST/UPC, MM, 50/125 duplex,
OM2 fiber, 5 m**

Patchcord duplex L=5m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#04519
Net Price:
4.88 USD
Unit: pcs

**Patchcord ST/UPC-ST/UPC, MM, 50/125 duplex,
OM2 fiber, 10 m**

Patchcord duplex L=10m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#04535
Net Price:
6.44 USD
Unit: pcs

**Patchcord ST/UPC-ST/UPC, MM, 50/125 duplex,
OM2 fiber, 15 m**

Patchcord duplex L=15m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#08656
Net Price:
2.87 USD
Unit: pcs

**Patchcord SC/UPC-ST/UPC, MM, 50/125 duplex,
OM2 fiber, 1 m**

Patchcord duplex L=1m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#08657
Net Price:
3.06 USD
Unit: pcs

**Patchcord SC/UPC-ST/UPC, MM, 50/125 duplex,
OM2 fiber, 2 m**

Patchcord duplex L=2m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#08658
Net Price:
3.24 USD
Unit: pcs

**Patchcord SC/UPC-ST/UPC, MM, 50/125 duplex,
OM2 fiber, 3 m**

Patchcord duplex L=3m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#08659
Net Price:
3.80 USD
Unit: pcs

**Patchcord SC/UPC-ST/UPC, MM, 50/125 duplex,
OM2 fiber, 5 m**

Patchcord duplex L=5m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#04512
Net Price:
4.78 USD
Unit: pcs

**Patchcord SC/UPC-ST/UPC, MM, 50/125 duplex,
OM2 fiber, 10 m**

Patchcord duplex L=10m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#04532
Net Price:
6.33 USD
Unit: pcs

**Patchcord SC/UPC-ST/UPC, MM, 50/125 duplex,
OM2 fiber, 15 m**

Patchcord duplex L=15m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#04224
Net Price:
3.20 USD
Unit: pcs

**Patchcord SC/UPC-ST/UPC, MM, 50/125 duplex,
OM3 fiber, 2 m**

Patchcord duplex L=2m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#08652
Net Price:
2.87 USD
Unit: pcs

**Patchcord SC/UPC-ST/UPC, SM, 9/125 duplex,
G652D fiber, 1 m**

Patchcord duplex L=1m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#08653
Net Price:
3.01 USD
Unit: pcs

**Patchcord SC/UPC-ST/UPC, SM, 9/125 duplex,
G652D fiber, 2 m**

Patchcord duplex L=2m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#08654
Net Price:
3.15 USD
Unit: pcs

**Patchcord SC/UPC-ST/UPC, SM, 9/125 duplex,
G652D fiber, 3 m**

Patchcord duplex L=3m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#08655
Net Price:
3.61 USD
Unit: pcs

**Patchcord SC/UPC-ST/UPC, SM, 9/125 duplex,
G652D fiber, 5 m**

Patchcord duplex L=5m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#04511
Net Price:
4.34 USD
Unit: pcs

**Patchcord SC/UPC-ST/UPC, SM, 9/125 duplex,
G652D fiber, 10 m**

Patchcord duplex L=10m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#04531
Net Price:
5.58 USD
Unit: pcs

**Patchcord SC/UPC-ST/UPC, SM, 9/125 duplex,
G652D fiber, 15 m**

Patchcord duplex L=15m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#08648
Net Price:
2.87 USD
Unit: pcs

**Patchcord LC/UPC-FC/UPC, MM, 50/125 duplex,
OM2 fiber, 1 m**

Patchcord duplex L=1m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08649
Net Price:
3.06 USD
Unit: pcs

**Patchcord LC/UPC-FC/UPC, MM, 50/125 duplex,
OM2 fiber, 2 m**

Patchcord duplex L=2m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08650
Net Price:
3.24 USD
Unit: pcs

**Patchcord LC/UPC-FC/UPC, MM, 50/125 duplex,
OM2 fiber, 3 m**

Patchcord duplex L=3m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08651
Net Price:
3.80 USD
Unit: pcs

**Patchcord LC/UPC-FC/UPC, MM, 50/125 duplex,
OM2 fiber, 5 m**

Patchcord duplex L=5m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08644
Net Price:
2.87 USD
Unit: pcs

**Patchcord LC/UPC-FC/UPC, SM, 9/125 duplex,
G652D fiber, 1 m**

Patchcord duplex L=1m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#08645
Net Price:
3.01 USD
Unit: pcs

**Patchcord LC/UPC-FC/UPC, SM, 9/125 duplex,
G652D fiber, 2 m**

Patchcord duplex L=2m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#08646
Net Price:
3.15 USD
Unit: pcs

**Patchcord LC/UPC-FC/UPC, SM, 9/125 duplex,
G652D fiber, 3 m**

Patchcord duplex L=3m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#08647
Net Price:
3.61 USD
Unit: pcs

**Patchcord LC/UPC-FC/UPC, SM, 9/125 duplex,
G652D fiber, 5 m**

Patchcord duplex L=5m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#07489
Net Price:
3.13 USD
Unit: pcs

**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM4 fiber, 1 m**



#07493
Net Price:
8.34 USD
Unit: pcs

**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM4 fiber, 10 m**



#07494
Net Price:
12.30 USD
Unit: pcs

**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM4 fiber, 15 m**



#07490
Net Price:
3.66 USD
Unit: pcs

**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM4 fiber, 2 m**



#07491
Net Price:
4.19 USD
Unit: pcs

**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM4 fiber, 3 m**



#07492
Net Price:
5.54 USD
Unit: pcs

**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM4 fiber, 5 m**



#04545
Net Price:
3.15 USD
Unit: pcs

**Patchcord LC/UPC-LC/UPC, MM, 62,5/125 duplex,
OM1 fiber, 1 m**



#08193
Net Price:
3.10 USD
Unit: pcs

**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM3 fiber, 2 m**



#08196
Net Price:
3.36 USD
Unit: pcs

**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM3 fiber, 3 m**



#08616
Net Price:
2.83 USD
Unit: pcs

**Patchcord LC/APC-LC/APC, SM, 9/125 duplex,
G652D fiber, 1 m**

Patchcord duplex L=1m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#08617
Net Price:
2.97 USD
Unit: pcs

**Patchcord LC/APC-LC/APC, SM, 9/125 duplex,
G652D fiber, 2 m**

Patchcord duplex L=2m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#08618
Net Price:
3.10 USD
Unit: pcs

**Patchcord LC/APC-LC/APC, SM, 9/125 duplex,
G652D fiber, 3 m**

Patchcord duplex L=3m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#08619
Net Price:
3.56 USD
Unit: pcs

**Patchcord LC/APC-LC/APC, SM, 9/125 duplex,
G652D fiber, 5 m**

Patchcord duplex L=5m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#04510
Net Price:
4.29 USD
Unit: pcs

**Patchcord LC/APC-LC/APC, SM, 9/125 duplex,
G652D fiber, 10 m**

Patchcord duplex L=10m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#04530
Net Price:
5.53 USD
Unit: pcs

**Patchcord LC/APC-LC/APC, SM, 9/125 duplex,
G652D fiber, 15 m**

Patchcord duplex L=15m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 + 80°C



#08620
Net Price:
2.78 USD
Unit: pcs

**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM2 fiber, 1 m**

Patchcord duplex L=1m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08621
Net Price:
2.97 USD
Unit: pcs

**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM2 fiber, 2 m**

Patchcord duplex L=2m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08622
Net Price:
3.15 USD
Unit: pcs

**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM2 fiber, 3 m**

Patchcord duplex L=3m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08623
Net Price:
3.71 USD
Unit: pcs

**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM2 fiber, 5 m**

Patchcord duplex L=5m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#04509
Net Price:
4.68 USD
Unit: pcs

**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM2 fiber, 10 m**

Patchcord duplex L=10m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#04529
Net Price:
6.22 USD
Unit: pcs

**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM2 fiber, 15 m**

Patchcord duplex L=15m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 + 80°C



#08865
Net Price:
2.85 USD
Unit: pcs

**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM3 fiber, 1 m**



#08613

Net Price:
2.97 USD
Unit: pcs**Patchcord LC/UPC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 2 m**

Patchcord duplex L=2m

Insertion Loss: <=0.20dB

Return Loss: >=50dB

Repeatability: <=0.2dB

Durability: <=0.1 dB typical change, 500 matings

Interchangeability: <=0.2dB

Tensile Strength: >10kg

Operating Temperature: -40 ÷ 80°C



#08614

Net Price:
3.10 USD
Unit: pcs**Patchcord LC/UPC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 3 m**

Patchcord duplex L=3m

Insertion Loss: <=0.20dB

Return Loss: >=50dB

Repeatability: <=0.2dB

Durability: <=0.1 dB typical change, 500 matings

Interchangeability: <=0.2dB

Tensile Strength: >10kg

Operating Temperature: -40 ÷ 80°C



#08590

Net Price:
4.07 USD
Unit: pcs**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM3 fiber, 5 m**

#08589

Net Price:
5.41 USD
Unit: pcs**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM3 fiber, 10 m**

#08588

Net Price:
7.43 USD
Unit: pcs**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM3 fiber, 15 m**

#08587

Net Price:
8.91 USD
Unit: pcs**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM3 fiber, 20 m**

#08586

Net Price:
10.40 USD
Unit: pcs**Patchcord LC/UPC-LC/UPC, MM, 50/125 duplex,
OM3 fiber, 25 m**

#08612

Net Price:
2.83 USD
Unit: pcs**Patchcord LC/UPC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 1 m**

Patchcord duplex L=1m

Insertion Loss: <=0.20dB

Return Loss: >=50dB

Repeatability: <=0.2dB

Durability: <=0.1 dB typical change, 500 matings

Interchangeability: <=0.2dB

Tensile Strength: >10kg

Operating Temperature: -40 ÷ 80°C



#04537

Net Price:
2.78 USD
Unit: pcs**Patchcord LC/UPC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 0.5 m**

Patchcord duplex L=0.5m

Insertion Loss: <=0.20dB

Return Loss: >=50dB

Repeatability: <=0.2dB

Durability: <=0.1 dB typical change, 500 matings

Interchangeability: <=0.2dB

Tensile Strength: >10kg

Operating Temperature: -40 ÷ 80°C



#08615

Net Price:
3.56 USD
Unit: pcs**Patchcord LC/UPC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 5 m**

Patchcord duplex L=5m

Insertion Loss: <=0.20dB

Return Loss: >=50dB

Repeatability: <=0.2dB

Durability: <=0.1 dB typical change, 500 matings

Interchangeability: <=0.2dB

Tensile Strength: >10kg

Operating Temperature: -40 ÷ 80°C



#04508

Net Price:
4.29 USD
Unit: pcs**Patchcord LC/UPC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 10 m**

Patchcord duplex L=10m

Insertion Loss: <=0.20dB

Return Loss: >=50dB

Repeatability: <=0.2dB

Durability: <=0.1 dB typical change, 500 matings

Interchangeability: <=0.2dB

Tensile Strength: >10kg

Operating Temperature: -40 ÷ 80°C



#04528

Net Price:
5.53 USD
Unit: pcs**Patchcord LC/UPC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 15 m**

Patchcord duplex L=15m

Insertion Loss: <=0.20dB

Return Loss: >=50dB

Repeatability: <=0.2dB

Durability: <=0.1 dB typical change, 500 matings

Interchangeability: <=0.2dB

Tensile Strength: >10kg

Operating Temperature: -40 ÷ 80°C



#08664

Net Price:
2.87 USD
Unit: pcs**Patchcord LC/UPC-ST/UPC, MM, 50/125 duplex,
OM2 fiber, 1 m**

Patchcord duplex L=1m

Insertion Loss: <=0.30dB

Return Loss: >=30dB

Operating Temperature: -40 ÷ 80°C



#08665

Net Price:
3.06 USD
Unit: pcs**Patchcord LC/UPC-ST/UPC, MM, 50/125 duplex,
OM2 fiber, 2 m**

Patchcord duplex L=2m

Insertion Loss: <=0.30dB

Return Loss: >=30dB

Operating Temperature: -40 ÷ 80°C



#08666

Net Price:
3.24 USD
Unit: pcs**Patchcord LC/UPC-ST/UPC, MM, 50/125 duplex,
OM2 fiber, 3 m**

Patchcord duplex L=3m

Insertion Loss: <=0.30dB

Return Loss: >=30dB

Operating Temperature: -40 ÷ 80°C



#08667
Net Price:
3.80 USD
Unit: pcs

Patchcord LC/UPC-ST/UPC, MM, 50/125 duplex, OM2 fiber, 5 m

Patchcord duplex L=5m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#04514
Net Price:
4.78 USD
Unit: pcs

Patchcord LC/UPC-ST/UPC, MM, 50/125 duplex, OM2 fiber, 10 m

Patchcord duplex L=10m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#04534
Net Price:
6.33 USD
Unit: pcs

Patchcord LC/UPC-ST/UPC, MM, 50/125 duplex, OM2 fiber, 15 m

Patchcord duplex L=15m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#04223
Net Price:
3.20 USD
Unit: pcs

Patchcord LC/UPC-ST/UPC, MM, 50/125 duplex, OM3 fiber, 2 m

Patchcord duplex L=2m
Insertion Loss: <=0.30dB
Return Loss: >=30dB
Operating Temperature: -40 ÷ 80°C



#08660
Net Price:
2.87 USD
Unit: pcs

Patchcord LC/UPC-ST/UPC, SM, 9/125 duplex, G652D fiber, 1 m

Patchcord duplex L=1m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#08661
Net Price:
3.01 USD
Unit: pcs

Patchcord LC/UPC-ST/UPC, SM, 9/125 duplex, G652D fiber, 2 m

Patchcord duplex L=2m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#08662
Net Price:
3.15 USD
Unit: pcs

Patchcord LC/UPC-ST/UPC, SM, 9/125 duplex, G652D fiber, 3 m

Patchcord duplex L=3m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#08663
Net Price:
3.61 USD
Unit: pcs

Patchcord LC/UPC-ST/UPC, SM, 9/125 duplex, G652D fiber, 5 m

Patchcord duplex L=5m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#04513
Net Price:
4.34 USD
Unit: pcs

Patchcord LC/UPC-ST/UPC, SM, 9/125 duplex, G652D fiber, 10 m

Patchcord duplex L=10m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#04533
Net Price:
5.58 USD
Unit: pcs

Patchcord LC/UPC-ST/UPC, SM, 9/125 duplex, G652D fiber, 15 m

Patchcord duplex L=15m
Insertion Loss: <=0.20dB
Return Loss: >=50dB
Repeatability: <=0.2dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#08672
Net Price:
13.30 USD
Unit: pcs

Patchcord E2000/APC-E2000/APC, SM, 9/125 simplex, G652D fiber, 1 m

Fiber optic patchcord E2000/APC to E2000/APC, singlemode, 9/125µm, simplex, L=1m.



#08673
Net Price:
13.50 USD
Unit: pcs

Patchcord E2000/APC-E2000/APC, SM, 9/125 simplex, G652D fiber, 2 m

Fiber optic patchcord E2000/APC to E2000/APC, singlemode 9/125µm, simplex, L=2m.



#08674
Net Price:
13.70 USD
Unit: pcs

Patchcord E2000/APC-E2000/APC, SM, 9/125 simplex, G652D fiber, 3 m

Fiber optic patchcord E2000/APC to E2000/APC, singlemode 9/125µm, simplex, L=3m.



#08675
Net Price:
14.00 USD
Unit: pcs

Patchcord E2000/APC-E2000/APC, SM, 9/125 simplex, G652D fiber, 5 m

Fiber optic patchcord E2000/APC to E2000/APC, singlemode 9/125µm, simplex, L=5m.



#04479
Net Price:
13.30 USD
Unit: pcs

Patchcord E2000/APC-LC/UPC, SM, 9/125 duplex, G652D fiber, 1 m

Patchcord duplex L=1m
Insertion Loss: <=0.20dB
Return Loss: >=60dB
Repeatability: <=0.1dB
Durability: <=0.1 dB typical change, 500 matings
Interchangeability: <=0.2dB
Tensile Strength: >10kg
Operating Temperature: -40 ÷ 80°C



#04480

Net Price:
13.50 USD
Unit: pcs**Patchcord E2000/APC-LC/UPC, SM, 9/125 duplex,
G652D fiber, 2 m**

Patchcord duplex L=2m

Insertion Loss: <=0.20dB

Return Loss: >=60dB

Repeatability: <=0.1dB

Durability: <=0.1 dB typical change, 500 matings

Interchangeability: <=0.2dB

Tensile Strength: >10kg

Operating Temperature: -40 + 80°C



#04482

Net Price:
14.00 USD
Unit: pcs**Patchcord E2000/APC-SC/UPC, SM, 9/125 duplex,
G652D fiber, 2 m**

Patchcord duplex L=2m

Insertion Loss: <=0.20dB

Return Loss: >=60dB

Repeatability: <=0.1dB

Durability: <=0.1 dB typical change, 500 matings

Interchangeability: <=0.2dB

Tensile Strength: >10kg

Operating Temperature: -40 + 80°C



#04481

Net Price:
13.70 USD
Unit: pcs**Patchcord E2000/APC-SC/UPC, SM, 9/125 duplex,
G652D fiber, 2 m**

Patchcord duplex L=1m

Insertion Loss: <=0.20dB

Return Loss: >=60dB

Repeatability: <=0.1dB

Durability: <=0.1 dB typical change, 500 matings

Interchangeability: <=0.2dB

Tensile Strength: >10kg

Operating Temperature: -40 + 80°C



#08668

Net Price:
17.10 USD
Unit: pcs**Patchcord E2000/UPC-E2000/UPC, SM, 9/125
simplex, G652D fiber, 1 m**Fiber optic patchcord E2000/UPC to E2000/UPC, singlemode
9/125µm, simplex, L=1m.

#08669

Net Price:
17.50 USD
Unit: pcs**Patchcord E2000/UPC-E2000/UPC, SM, 9/125
simplex, G652D fiber, 2 m**Fiber optic patchcord E2000/UPC to E2000/UPC, singlemode
9/125µm, simplex, L=2m.

#08670

Net Price:
17.10 USD
Unit: pcs**Patchcord E2000/UPC-E2000/UPC, SM, 9/125
simplex, G652D fiber, 3 m**Fiber optic patchcord E2000/UPC to E2000/UPC, singlemode
9/125µm, simplex, L=3m.

#08671

Net Price:
17.50 USD
Unit: pcs**Patchcord E2000/UPC-E2000/UPC, SM, 9/125
simplex, G652D fiber, 5 m**Fiber optic patchcord E2000/UPC to E2000/UPC, singlemode
9/125µm, simplex, L=5m.

#07395

Net Price:
15.40 USD
Unit: pcs**Patchcord MPO(F)-LC/UPC, MM, 50/125, 12F,
OM3 fiber, 1 m**

#07392

Net Price:
23.70 USD
Unit: pcs**Patchcord MPO(F)-LC/UPC, MM, 50/125, 12F,
OM3 fiber, 10 m**

#07393

Net Price:
28.40 USD
Unit: pcs**Patchcord MPO(F)-LC/UPC, MM, 50/125, 12F,
OM3 fiber, 15 m**

#07394

Net Price:
33.00 USD
Unit: pcs**Patchcord MPO(F)-LC/UPC, MM, 50/125, 12F,
OM3 fiber, 20 m**

#07396

Net Price:
17.10 USD
Unit: pcs**Patchcord MPO(F)-LC/UPC, MM, 50/125, 12F,
OM4 fiber, 1 m**

#08579

Net Price:
23.20 USD
Unit: pcs**Patchcord MPO(F)-MPO(F) type B, MM, 50/125,
12F, OM3 fiber, 10 m**

#08580

Net Price:
27.80 USD
Unit: pcs**Patchcord MPO(F)-MPO(F) type B, MM, 50/125,
12F, OM3 fiber, 15 m**

#08581

Net Price:
32.40 USD
Unit: pcs**Patchcord MPO(F)-MPO(F) type B, MM, 50/125,
12F, OM3 fiber, 20 m**

#08582

Net Price:
39.40 USD
Unit: pcs**Patchcord MPO(F)-MPO(F) type B, MM, 50/125,
12F, OM4 fiber, 10 m**

#08583

Net Price:
52.10 USD
Unit: pcs**Patchcord MPO(F)-MPO(F) type B, MM, 50/125,
12F, OM4 fiber, 15 m**

#08584

Net Price:
64.90 USD
Unit: pcs**Patchcord MPO(F)-MPO(F) type B, MM, 50/125,
12F, OM4 fiber, 20 m**

#04541

Net Price:
4.39 USD
Unit: pcs**Patchcord LC/UPC-FC/UPC, MM, 50/125 duplex,
OM3 fiber, 20 m**

#04544

Net Price:
2.87 USD
Unit: pcs**Patchcord LC/UPC-LC/UPC, MM, 62,5/125 duplex,
OM1 fiber, 1 m**



Fiber Optic Pigtails  #08688 Net Price: 0.718 USD Unit: pcs Pigtail SC/APC, SM, 9/125, 0,9mm, G652D fiber, 1m Pigtail L=1m	 #08689 Net Price: 0.741 USD Unit: pcs Pigtail SC/APC, SM, 9/125, 0,9mm, G652D fiber, 2m Pigtail L=2m	 #08690 Net Price: 0.765 USD Unit: pcs Pigtail SC/APC, SM, 9/125, 0,9mm, G652D fiber, 3m Pigtail L=3m
 #08891 Net Price: 0.730 USD Unit: pcs Pigtail SC/APC, SM, 9/125, 0,9mm, G657A1 fiber, 1m Pigtail L=1m	 #08598 Net Price: 0.765 USD Unit: pcs Pigtail SC/APC, SM, 9/125, 0,9mm, G657A1 fiber, 2m Pigtail L=2m	 #08691 Net Price: 0.695 USD Unit: pcs Pigtail SC/UPC, MM, 50/125, 0,9mm, OM2 fiber, 1m Multimode fiber optic pigtail with SC/UPC connector and OM2 fiber. Length 1m
 #08692 Net Price: 0.741 USD Unit: pcs Pigtail SC/UPC, MM, 50/125, 0,9mm, OM2 fiber, 2m Pigtail L=2m	 #08693 Net Price: 0.811 USD Unit: pcs Pigtail SC/UPC, MM, 50/125, 0,9mm, OM2 fiber, 3m Pigtail L=3m	 #08868 Net Price: 0.741 USD Unit: pcs Pigtail SC/UPC, MM, 50/125, 0,9mm, OM3 fiber, 1m
 #04487 Net Price: 0.834 USD Unit: pcs Pigtail SC/UPC, MM, 50/125, 0,9mm, OM3 fiber, 2m	 #04488 Net Price: 0.927 USD Unit: pcs Pigtail SC/UPC, MM, 50/125, 0,9mm, OM3 fiber, 3m	 #04158 Net Price: 0.880 USD Unit: pcs Pigtail SC/UPC, MM, 50/125, 0,9mm, OM4 fiber, 1m
 #04160 Net Price: 1.14 USD Unit: pcs Pigtail SC/UPC, MM, 50/125, 0,9mm, OM4 fiber, 2m	 #08890 Net Price: 0.765 USD Unit: pcs Pigtail SC/UPC, MM, 62.5/125, 0,9mm, OM1 fiber, 1m Multimode fiber optic pigtail with SC/UPC connector and OM2 fiber. Length 1m	 #08685 Net Price: 0.695 USD Unit: pcs Pigtail SC/UPC, SM, 9/125, 0,9mm, G652D fiber, 1m Pigtail L=1m
 #08686 Net Price: 0.718 USD Unit: pcs Pigtail SC/UPC, SM, 9/125, 0,9mm, G652D fiber, 2m Pigtail L=2m	 #08687 Net Price: 0.741 USD Unit: pcs Pigtail SC/UPC, SM, 9/125, 0,9mm, G652D fiber, 3m Singlemode fiber optic pigtail with SC/UPC connector and G652D fiber. Length 3m	 #04215 Net Price: 8.43 USD Unit: pcs 12 colors pigtail set SC/UPC, MM, 50/125, 0,9mm, OM2 fiber, 2m A set of 12 pigtails in different colors Length: 2m Fiber type: MM OM2 50/125 Colors: blue, orange, green, brown, grey, white, red, black, yellow, purple, pink, aqua
 #04216 Net Price: 8.47 USD Unit: pcs 12 colors pigtail set SC/UPC, MM, 50/125, 0,9mm, OM3 fiber, 2m A set of 12 pigtails in different colors Length: 2m Fiber type: MM OM3 50/125 Colors: blue, orange, green, brown, grey, white, red, black, yellow, purple, pink, aqua	 #04217 Net Price: 8.78 USD Unit: pcs 12 colors pigtail set SC/UPC, MM, 50/125, 0,9mm, OM4 fiber, 2m A set of 12 pigtails in different colors Length: 2m Fiber type: MM OM4 50/125 Colors: blue, orange, green, brown, grey, white, red, black, yellow, purple, pink, aqua	 #04213 Net Price: 9.13 USD Unit: pcs 12 colors pigtail set SC/APC, SM, 9/125, 0,9mm, G.652D fiber, 2m A set of 12 pigtails in different colors Length: 2m Fiber type: SM G.652D 9/125 Colors: blue, orange, green, brown, grey, white, red, black, yellow, purple, pink, aqua




 #04214 Net Price: 8.91 USD Unit: pcs 12 colors pigtail set SC/UPC, SM, 9/125, 0,9mm, G.652D fiber, 2m A set of 12 pigtails in different colors Length: 2m Fiber type: SM G.652D 9/125 Colors: blue, orange, green, brown, grey, white, red, black, yellow, purple, pink, aqua	 #08679 Net Price: 0.695 USD Unit: pcs Pigtail LC/APC, SM, 9/125, 0,9mm, G652D fiber, 1m Pigtail L=1m	 #08680 Net Price: 0.718 USD Unit: pcs Pigtail LC/APC, SM, 9/125, 0,9mm, G652D fiber, 2m Pigtail L=2m
 #08681 Net Price: 0.741 USD Unit: pcs Pigtail LC/APC, SM, 9/125, 0,9mm, G652D fiber, 3m Pigtail L=3m	 #08682 Net Price: 0.695 USD Unit: pcs Pigtail LC/UPC, MM, 50/125, 0,9mm, OM2 fiber, 1m Pigtail L=1m	 #08683 Net Price: 0.741 USD Unit: pcs Pigtail LC/UPC, MM, 50/125, 0,9mm, OM2 fiber, 2m Pigtail L=2m
 #08684 Net Price: 0.811 USD Unit: pcs Pigtail LC/UPC, MM, 50/125, 0,9mm, OM2 fiber, 3m Pigtail L=3m	 #08870 Net Price: 0.741 USD Unit: pcs Pigtail LC/UPC, MM, 50/125, 0,9mm, OM3 fiber, 1m	 #04489 Net Price: 0.834 USD Unit: pcs Pigtail LC/UPC, MM, 50/125, 0,9mm, OM3 fiber, 2m
 #04490 Net Price: 0.927 USD Unit: pcs Pigtail LC/UPC, MM, 50/125, 0,9mm, OM3 fiber, 3m	 #04157 Net Price: 0.880 USD Unit: pcs Pigtail LC/UPC, MM, 50/125, 0,9mm, OM4 fiber, 1m	 #04159 Net Price: 1.14 USD Unit: pcs Pigtail LC/UPC, MM, 50/125, 0,9mm, OM4 fiber, 2m
 #08585 Net Price: 0.834 USD Unit: pcs Pigtail LC/UPC, MM, 62.5/125, 0,9mm, OM1 fiber, 2m Multimode fiber optic pigtail with LC/UPC connector and OM2 fiber. Length 2m	 #08676 Net Price: 0.695 USD Unit: pcs Pigtail LC/UPC, SM, 9/125, 0,9mm, G652D fiber, 1m Pigtail L=1m	 #08677 Net Price: 0.718 USD Unit: pcs Pigtail LC/UPC, SM, 9/125, 0,9mm, G652D fiber, 2m Pigtail L=2m
 #08678 Net Price: 0.741 USD Unit: pcs Pigtail LC/UPC, SM, 9/125, 0,9mm, G652D fiber, 3m Pigtail L=3m	 #04219 Net Price: 8.43 USD Unit: pcs 12 colors pigtail set LC/UPC, MM, 50/125, 0,9mm, OM2 fiber, 2m A set of 12 pigtails in different colors Colors: blue, orange, green, brown, grey, white, red, black, yellow, purple, pink, aqua	 #04220 Net Price: 8.47 USD Unit: pcs 12 colors pigtail set LC/UPC, MM, 50/125, 0,9mm, OM3 fiber, 2m A set of 12 pigtails in different colors Length: 2m Fiber type: MM OM3 50/125 Colors: blue, orange, green, brown, grey, white, red, black, yellow, purple, pink, aqua
 #04221 Net Price: 8.78 USD Unit: pcs 12 colors pigtail set LC/UPC, MM, 50/125, 0,9mm, OM4 fiber, 2m A set of 12 pigtails in different colors Length: 2m Fiber type: MM OM4 50/125 Colors: blue, orange, green, brown, grey, white, red, black, yellow, purple, pink, aqua	 #04218 Net Price: 8.87 USD Unit: pcs 12 colors pigtail set LC/UPC, SM, 9/125, 0,9mm, G.652D fiber, 2m A set of 12 pigtails in different colors Length: 2m Fiber type: SM G.652D 9/125 Colors: blue, orange, green, brown, grey, white, red, black, yellow, purple, pink, aqua	 #08697 Net Price: 0.741 USD Unit: pcs Pigtail FC/UPC, MM, 50/125, 0,9mm, OM2 fiber, 1m Pigtail L=1m



 #08698 Net Price: 0.788 USD Unit: pcs Pigtail FC/UPC, MM, 50/125, 0,9mm, OM2 fiber, 2m Pigtail L=2m	 #08699 Net Price: 0.834 USD Unit: pcs Pigtail FC/UPC, MM, 50/125, 0,9mm, OM2 fiber, 3m Pigtail L=3m	 #08694 Net Price: 0.765 USD Unit: pcs Pigtail FC/UPC, SM, 9/125, 0,9mm, G652D fiber, 1m Pigtail L=1m
 #08695 Net Price: 0.788 USD Unit: pcs Pigtail FC/UPC, SM, 9/125, 0,9mm, G652D fiber, 2m Pigtail L=2m	 #08696 Net Price: 0.811 USD Unit: pcs Pigtail FC/UPC, SM, 9/125, 0,9mm, G652D fiber, 3m Pigtail L=3m	 #08703 Net Price: 0.741 USD Unit: pcs Pigtail ST/UPC, MM, 50/125, 0,9mm, OM2 fiber, 1m Pigtail L=1m
 #08704 Net Price: 0.788 USD Unit: pcs Pigtail ST/UPC, MM, 50/125, 0,9mm, OM2 fiber, 2m Pigtail L=2m	 #08705 Net Price: 0.834 USD Unit: pcs Pigtail ST/UPC, MM, 50/125, 0,9mm, OM2 fiber, 3m Pigtail L=3m	 #04222 Net Price: 0.788 USD Unit: pcs Pigtail ST/UPC, MM, 50/125, 0,9mm, OM3 fiber, 1m Pigtail L=1m
 #08700 Net Price: 0.765 USD Unit: pcs Pigtail ST/UPC, SM, 9/125, 0,9mm, G652D fiber, 1m Pigtail L=1m	 #08701 Net Price: 0.788 USD Unit: pcs Pigtail ST/UPC, SM, 9/125, 0,9mm, G652D fiber, 2m Pigtail L=2m	 #08702 Net Price: 0.811 USD Unit: pcs Pigtail ST/UPC, SM, 9/125, 0,9mm, G652D fiber, 3m Pigtail L=3m
 #08710 Net Price: 6.20 USD Unit: pcs Pigtail E2000/APC, SM, 9/125, 0,9mm, G652D fiber, 2m Fiber optic pigtail E2000/APC, singlemode 9/125µm, simplex, L=2m.	 #08707 Net Price: 6.78 USD Unit: pcs Pigtail E2000/APC, SM, 9/125, 0,9mm, G652D fiber, 2m Fiber optic pigtail E2000/APC, singlemode 9/125µm, simplex, L=2m.	
Fiber Optic Cables		
 #08066 Net Price: 1.22 USD Unit: m Outdoor cable 12x50/125, OM3 fiber, LDPE Fiber optic outdoor cable, central loose tube, fiberglass yarns, PE, fully dielectric.	 #08063 Net Price: 1.37 USD Unit: m Universal cable 12x50/125, OM3 fiber, LSZH, CPR Eca Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.	 #08064 Net Price: 2.76 USD Unit: m Universal cable 12x50/125, OM4 fiber, LSZH, CPR Eca Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.
 #08070 Net Price: 2.30 USD Unit: m Universal cable 24x50/125, OM3 fiber, LSZH, CPR Eca Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.	 #08046 Net Price: 0.690 USD Unit: m Universal cable 4x50/125, OM3 fiber, LSZH, CPR Eca Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.	 #08059 Net Price: 1.23 USD Unit: m Universal cable 4x50/125, OM3 fiber, LSZH, CPR Eca Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.



 #08061 Net Price: 0.990 USD Unit: m Universal cable 8x50/125, OM3 fiber, LSZH, CPR Eca Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.	 #08062 Net Price: 2.00 USD Unit: m Universal cable 8x50/125, OM4 fiber, LSZH, CPR Eca Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.	 #08060 Net Price: 0.505 USD Unit: m Universal cable 8x9/125, OS2 fiber, LSZH Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.
 #08065 Net Price: 1.82 USD Unit: m Universal cable 12x50/125, OM3 fiber, LSZH Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.	 #08068 Net Price: 1.16 USD Unit: m Universal cable 12x9/125, G652D fiber, LSZH Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.	 #08069 Net Price: 1.79 USD Unit: m Universal cable 12x9/125, G652D fiber, LSZH, steel tape armour Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.
 #08071 Net Price: 1.26 USD Unit: m Universal cable 24x9/125, G652D fiber, LSZH Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.	 #08075 Net Price: 2.09 USD Unit: m Universal cable 48x9/125 (4x12), G652D fiber, LSZH Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.	 #08011 Net Price: 1.04 USD Unit: m Universal cable 4x50/125, OM2 fiber, LSZH Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.
 #08003 Net Price: 0.668 USD Unit: m Universal cable 4x50/125, OM2 fiber, LSZH Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.	 #08005 Net Price: 0.442 USD Unit: m Universal cable 4x9/125, OS2 fiber, LSZH Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.	 #08007 Net Price: 0.820 USD Unit: m Universal cable 8x50/125, OM2 fiber, LSZH Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.
 #08013 Net Price: 0.562 USD Unit: m Universal cable 12x9/125, G652D fiber, LSZH Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.	 #08017 Net Price: 0.778 USD Unit: m Universal cable 24x9/125, G652D fiber, LSZH Fiber optic indoor-outdoor cable, central loose tube, fiberglass yarns, LSOH, fully dielectric.	 #08034 Net Price: 0.500 USD Unit: m Indoor cable mini-breakout, 4x9/125/900, G652D fiber, LSZH Fiber optic indoor mini-breakout cable, tight tube 1,8mm, aramid yarns, LSOH, fully dielectric.
 #08035 Net Price: 0.660 USD Unit: m Indoor cable mini-breakout, 8x50/125/900, OM2 fiber, LSZH Fiber optic indoor mini-breakout cable, tight tube 1,8mm, aramid yarns, LSOH, fully dielectric.	 #08036 Net Price: 0.825 USD Unit: m Indoor cable mini-breakout, 12x9/125/900, G652D fiber, LSZH Fiber optic indoor mini-breakout cable, tight tube 1,8mm, aramid yarns, LSOH, fully dielectric.	 #08038 Net Price: 1.06 USD Unit: m Indoor cable mini-breakout, 24x9/125/900, G652D fiber, LSZH Fiber optic indoor mini-breakout cable, tight tube 1,8mm, aramid yarns, LSOH, fully dielectric.
 #08004 Net Price: 0.550 USD Unit: m Outdoor cable 12x50/125, OM3 fiber, PE Fiber optic outdoor cable, central loose tube, fiberglass yarns, PE, fully dielectric.	 #08006 Net Price: 0.488 USD Unit: m Outdoor cable 4x9/125, G657A1 fiber, LDPE Fiber optic outdoor cable, central loose tube, fiberglass yarns, PE, fully dielectric.	 #08008 Net Price: 0.788 USD Unit: m Outdoor cable 8x50/125, OM2 fiber, PE Fiber optic outdoor cable, central loose tube, fiberglass yarns, PE, fully dielectric.



 #08010 Net Price: 0.562 USD Unit: m Outdoor cable 8x9/125, G657A1 fiber, LDPE Fiber optic outdoor cable, central loose tube, fiberglass yarns, PE, fully dielectric.	 #08014 Net Price: 0.592 USD Unit: m Outdoor cable 12x9/125, G657A1 fiber, LDPE Fiber optic outdoor cable, central loose tube, fiberglass yarns, LDPE, fully dielectric.	 #08018 Net Price: 0.825 USD Unit: m Outdoor cable 24x9/125, G657A1 fiber, LDPE Fiber optic outdoor cable, central loose tube, fiberglass yarns, PE, fully dielectric.
 #08028 Net Price: 0.792 USD Unit: m Outdoor cable for primary ducts, 12x9/125, G652D fiber; PE Fiber optic outdoor primary duct cable, tubes stranded around central strength member, fiberglass yarns, PE, fully dielectric.	 #08029 Net Price: 0.970 USD Unit: m Outdoor cable for primary ducts, 24x9/125, G652D fiber; PE Fiber optic outdoor primary duct cable, tubes stranded around central strength member, fiberglass yarns, PE, fully dielectric.	 #08027 Net Price: 2.17 USD Unit: m Outdoor cable for secondary ducts, 96x9/125, G652D fiber; PE Fiber optic outdoor secondary duct cable, tubes stranded around central strength member, PE, fully dielectric.
 #08019 Net Price: 0.478 USD Unit: m Outdoor cable, self supporting aerial, 4x9/125, G652D fiber, PE, span up to 50 m Fiber optic selfsupporting outdoor cable, central loose tube with strength members, PE, fully dielectric.	 #08020 Net Price: 0.642 USD Unit: m Outdoor cable, self supporting aerial, 8x9/125, G652D fiber, PE, span up to 80 m Fiber optic selfsupporting outdoor cable, central loose tube with strength members, PE, fully dielectric.	 #08042 Net Price: 0.292 USD Unit: m Patch cable 1x9/125, G652D fiber, 2.8 mm, LSOH Fiber optic patch cable with a single fibre 9/125µm, 2.8mm, LSOH
 #08889 Net Price: 189.00 USD Unit: km Patch cable 2x50/125, OM2, 2.8mm, LSZH	 #08043 Net Price: 0.185 USD Unit: m Pigtail cable 9/125, G652D fiber, tight tube 0.9 mm Fiber optic tight tube cable with a single fibre 9/125µm, 0.9mm	
Fiber Optic Adaptors		
 #04104 Net Price: 8.54 USD Unit: pcs Adaptor for VFL Adaptor for visual fault locators, allows to connect patchcords and pigtails with LC connectors (1,25mm ferrule)	 #08227 Net Price: 0.073 USD Unit: pcs Adaptor MM FC-FC simplex metal, D-hole	 #08746 Net Price: 1.22 USD Unit: pcs Hybrid adaptor MM FC/UPC - ST/UPC duplex Insertion Loss: <=0.30dB Durability: <=0.2 dB typical change, 1000matings Operating Temperature: -40 ÷ 80°C Humidity Cycling: 75°C, 95% / 336hr Vibration: 10~55Hz (2hr) Impact: 1.5m drop, 8 Times
 #08744 Net Price: 0.610 USD Unit: pcs Hybrid adaptor MM FC/UPC - ST/UPC simplex Insertion Loss: <=0.30dB Durability: <=0.2 dB typical change, 1000matings Operating Temperature: -40 ÷ 80°C Humidity Cycling: 75°C, 95% / 336hr Vibration: 10~55Hz (2hr) Impact: 1.5m drop, 8 Times	 #08732 Net Price: 9.27 USD Unit: pcs Hybrid adaptor MM LC/UPC - FC/UPC simplex Insertion Loss: <=0.30dB Durability: <=0.2 dB typical change, 1000matings Operating Temperature: -40 ÷ 80°C Humidity Cycling: 75°C, 95% / 336hr Vibration: 10~55Hz (2hr) Impact: 1.5m drop, 8 Times	 #08730 Net Price: 9.27 USD Unit: pcs Hybrid adaptor MM LC/UPC - SC/UPC simplex Insertion Loss: <=0.30dB Durability: <=0.2 dB typical change, 1000matings Operating Temperature: -40 ÷ 80°C Humidity Cycling: 75°C, 95% / 336hr Vibration: 10~55Hz (2hr) Impact: 1.5m drop, 8 Times



#08712
Net Price:
0.293 USD
Unit: pcs

Adaptor MM LC/UPC - LC/UPC simplex

Insertion Loss: $\leq 0.30\text{dB}$
Plug and unplug force(g/f): 200-600N
Durability: $\leq 0.2\text{ dB}$ typical change, 1000matings
Operating Temperature: $-40 \div 80^\circ\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#08723
Net Price:
0.341 USD
Unit: pcs

Adaptor MM SC/UPC - SC/UPC duplex, OM2

Insertion Loss: $\leq 0.30\text{dB}$
Return Loss: $\geq 30\text{dB}$
Operating Temperature: $-40 \div 80^\circ\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#08355
Net Price:
0.341 USD
Unit: pcs

Adaptor MM SC/UPC - SC/UPC duplex, OM3

Insertion Loss: $\leq 0.30\text{dB}$
Plug and unplug force(g/f): 200-600N
Durability: $\leq 0.2\text{ dB}$ typical change, 1000matings
Operating Temperature: $-40 \div 80^\circ\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#04207
Net Price:
0.341 USD
Unit: pcs

Adaptor MM SC/UPC - SC/UPC duplex, OM4

Insertion Loss: $\leq 0.30\text{dB}$
Plug and unplug force(g/f): 200-600N
Durability: $\leq 0.2\text{ dB}$ typical change, 1000matings
Operating Temperature: $-40 \div 80^\circ\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#08720
Net Price:
0.171 USD
Unit: pcs

Adaptor MM SC/UPC - SC/UPC simplex

Insertion Loss: $\leq 0.30\text{dB}$
Return Loss: $\geq 30\text{dB}$
Operating Temperature: $-40 \div 80^\circ\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#04211
Net Price:
0.180 USD
Unit: pcs

Adaptor MM SC/UPC - SC/UPC simplex, OM3

Insertion Loss: $\leq 0.30\text{dB}$
Plug and unplug force(g/f): 200-600N
Durability: $\leq 0.2\text{ dB}$ typical change, 1000matings
Operating Temperature: $-40 \div 80^\circ\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#04210
Net Price:
0.171 USD
Unit: pcs

Adaptor MM SC/UPC - SC/UPC simplex, OM4

Insertion Loss: $\leq 0.30\text{dB}$
Plug and unplug force(g/f): 200-600N
Durability: $\leq 0.2\text{ dB}$ typical change, 1000matings
Operating Temperature: $-40 \div 80^\circ\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#08726
Net Price:
0.317 USD
Unit: pcs

Adaptor MM ST/UPC - ST/UPC simplex

Insertion Loss: $\leq 0.30\text{dB}$
Plug and unplug force(g/f): 200-600N
Durability: $\leq 0.2\text{ dB}$ typical change, 1000matings
Operating Temperature: $-40 \div 80^\circ\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#04194
Net Price:
1.71 USD
Unit: pcs

Adaptor MPO, type A (key-up, key-down)

Fiber optic MPO adaptor.



#08729
Net Price:
4.56 USD
Unit: pcs

Adaptor SM E2000/APC - E2000/APC simplex

Fiber optic adaptor E2000/APC to E2000/APC, singlemode 9/125 μm , simplex.



#08728
Net Price:
4.92 USD
Unit: pcs

Adaptor SM E2000/UPC - E2000/UPC simplex

Fiber optic adaptor E2000/UPC to E2000/UPC, singlemode 9/125 μm , simplex.



#08718
Net Price:
0.488 USD
Unit: pcs

Adaptor SM LC/APC - LC/APC duplex

Insertion Loss: $\leq 0.20\text{dB}$
Plug and unplug force(g/f): 200-600N
Durability: $\leq 0.2\text{ dB}$ typical change, 1000matings
Operating Temperature: $-40 \div 80^\circ\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#08719
Net Price:
1.46 USD
Unit: pcs

Adaptor SM LC/APC - LC/APC quad

Insertion Loss: $\leq 0.20\text{dB}$
Plug and unplug force(g/f): 200-600N
Durability: $\leq 0.2\text{ dB}$ typical change, 1000matings
Operating Temperature: $-40 \div 80^\circ\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#08714
Net Price:
0.293 USD
Unit: pcs

Adaptor SM LC/APC - LC/APC simplex


Insertion Loss: $\leq 0.20\text{dB}$
Plug and unplug force(g/f): 200-600N
Durability: $\leq 0.2\text{ dB}$ typical change, 1000matings
Operating Temperature: $-40 \div 80^\circ\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#08716
Net Price:
0.488 USD
Unit: pcs

Adaptor SM LC/UPC - LC/UPC duplex

Insertion Loss: $\leq 0.20\text{dB}$
Plug and unplug force(g/f): 200-600N
Durability: $\leq 0.2\text{ dB}$ typical change, 1000matings
Operating Temperature: $-40 \div 80^\circ\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#08717
Net Price:
1.22 USD
Unit: pcs

Adaptor SM LC/UPC - LC/UPC quad

Insertion Loss: ≤ 0.20 dB
Plug and unplug force(g/f): 200-600N
Durability: ≤ 0.2 dB typical change, 1000matings
Operating Temperature: $-40 \div 80^{\circ}\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#08713
Net Price:
0.293 USD
Unit: pcs

Adaptor SM LC/UPC - LC/UPC simplex

Insertion Loss: ≤ 0.20 dB
Plug and unplug force(g/f): 200-600N
Durability: ≤ 0.2 dB typical change, 1000matings
Operating Temperature: $-40 \div 80^{\circ}\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#08725
Net Price:
0.341 USD
Unit: pcs

Adaptor SM SC/APC - SC/APC duplex

Insertion Loss: ≤ 0.20 dB
Return Loss: ≥ 60 dB
Repeatability: ≤ 0.1 dB
Durability: ≤ 0.1 dB typical change, 500 matings
Interchangeability: ≤ 0.2 dB
Tensile Strength: >10 kg
Operating Temperature: $-40 \div 80^{\circ}\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#08722
Net Price:
0.171 USD
Unit: pcs

Adaptor SM SC/APC - SC/APC simplex

Insertion Loss: ≤ 0.20 dB
Return Loss: ≥ 60 dB
Repeatability: ≤ 0.1 dB
Durability: ≤ 0.1 dB typical change, 500 matings
Interchangeability: ≤ 0.2 dB
Tensile Strength: >10 kg
Operating Temperature: $-40 \div 80^{\circ}\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times

**Adaptor SM SC/APC - SC/APC simplex, flangeless**

Insertion Loss: ≤ 0.20 dB
Return Loss: ≥ 60 dB
Repeatability: ≤ 0.1 dB
Durability: ≤ 0.1 dB typical change, 500 matings
Interchangeability: ≤ 0.2 dB
Tensile Strength: >10 kg
Operating Temperature: $-40 \div 80^{\circ}\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#04101
Net Price:
0.171 USD
Unit: pcs

Adaptor SM SC/UPC - SC/UPC duplex

Insertion Loss: ≤ 0.20 dB
Return Loss: ≥ 50 dB
Repeatability: ≤ 0.2 dB
Durability: ≤ 0.1 dB typical change, 500 matings
Interchangeability: ≤ 0.2 dB
Tensile Strength: >10 kg
Operating Temperature: $-40 \div 80^{\circ}\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#08721
Net Price:
0.171 USD
Unit: pcs

Adaptor SM SC/UPC - SC/UPC simplex

Insertion Loss: ≤ 0.20 dB
Return Loss: ≥ 50 dB
Repeatability: ≤ 0.2 dB
Durability: ≤ 0.1 dB typical change, 500 matings
Interchangeability: ≤ 0.2 dB
Tensile Strength: >10 kg
Operating Temperature: $-40 \div 80^{\circ}\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times

**Adaptor SM SC/UPC - SC/UPC simplex, flangeless**

Insertion Loss: ≤ 0.20 dB
Return Loss: ≥ 50 dB
Repeatability: ≤ 0.2 dB
Durability: ≤ 0.1 dB typical change, 500 matings
Interchangeability: ≤ 0.2 dB
Tensile Strength: >10 kg
Operating Temperature: $-40 \div 80^{\circ}\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times



#08727
Net Price:
0.317 USD
Unit: pcs

Adaptor SM ST/UPC - ST/UPC simplex

Insertion Loss: ≤ 0.20 dB
Plug and unplug force(g/f): 200-600N
Durability: ≤ 0.2 dB typical change, 1000matings
Operating Temperature: $-40 \div 80^{\circ}\text{C}$
Humidity Cycling: 75°C , 95% / 336hr
Vibration: 10-55Hz (2hr)
Impact: 1.5m drop, 8 Times

Fiber Optic Connectors



#08801
Net Price:
0.417 USD
Unit: pcs

Connector FC/APC SM, 0.9mm

#08802
Net Price:
0.417 USD
Unit: pcs

Connector FC/APC SM, 3.0 mm

#08803
Net Price:
0.395 USD
Unit: pcs

Connector FC/UPC MM, 0.9mm

#08804
Net Price:
0.395 USD
Unit: pcs

Connector FC/UPC MM, 3.0mm

#08799
Net Price:
0.395 USD
Unit: pcs

Connector FC/UPC SM, 0.9mm

#08800
Net Price:
0.395 USD
Unit: pcs

Connector FC/UPC SM, 3.0 mm



 #08789 Net Price: 0.395 USD Unit: pcs Connector LC/APC SM, 0.9mm Insertion Loss: ≤ 0.20dB Return Loss: ≥ 65dB Durability: ≤ 0.2 dB typical change, 500 matings Ferrule Hole Sizes: 125.0+1/-0μm, 125.5+1/-0μm, 126.0+1/-0μm Concentricity: $\leq 1.0\mu$m Operating Temperature: -40 $\div$ 80°C	 #08790 Net Price: 0.395 USD Unit: pcs Connector LC/APC SM, 3.0 mm Insertion Loss: ≤ 0.20dB Return Loss: ≥ 65dB Durability: ≤ 0.2 dB typical change, 500 matings Ferrule Hole Sizes: 125.0+1/-0μm, 125.5+1/-0μm, 126.0+1/-0μm Concentricity: $\leq 1.0\mu$m Operating Temperature: -40 $\div$ 80°C	 #08791 Net Price: 0.329 USD Unit: pcs Connector LC/UPC MM, 0.9 mm Insertion Loss: ≤ 0.25dB Return Loss: ≥ 30dB Durability: ≤ 0.2 dB typical change, 500 matings Ferrule Hole Sizes: 127μm Concentricity: $\leq 3\mu$m Operating Temperature: -40 $\div$ 80°C
 #08792 Net Price: 0.329 USD Unit: pcs Connector LC/UPC MM, 3.0 mm Insertion Loss: ≤ 0.25dB Return Loss: ≥ 30dB Durability: ≤ 0.2 dB typical change, 500 matings Ferrule Hole Sizes: 127μm Concentricity: $\leq 3\mu$m Operating Temperature: -40 $\div$ 80°C	 #08787 Net Price: 0.395 USD Unit: pcs Connector LC/UPC SM, 0.9mm Insertion Loss: ≤ 0.20dB Return Loss: ≥ 65dB Durability: ≤ 0.2 dB typical change, 500 matings Ferrule Hole Sizes: 125.0+1/-0μm, 125.5+1/-0μm, 126.0+1/-0μm Concentricity: $\leq 1.0\mu$m Operating Temperature: -40 $\div$ 80°C	 #08788 Net Price: 0.395 USD Unit: pcs Connector LC/UPC SM, 3.0 mm Insertion Loss: ≤ 0.20dB Return Loss: ≥ 65dB Durability: ≤ 0.2 dB typical change, 500 matings Ferrule Hole Sizes: 125.0+1/-0μm, 125.5+1/-0μm, 126.0+1/-0μm Concentricity: $\leq 1.0\mu$m Operating Temperature: -40 $\div$ 80°C
 #08795 Net Price: 0.395 USD Unit: pcs Connector SC/APC SM, 0.9mm	 #08796 Net Price: 0.395 USD Unit: pcs Connector SC/APC SM, 3.0 mm	 #08797 Net Price: 0.329 USD Unit: pcs Connector SC/UPC MM, 0.9 mm
 #08798 Net Price: 0.329 USD Unit: pcs Connector SC/UPC MM, 3.0 mm	 #08793 Net Price: 0.395 USD Unit: pcs Connector SC/UPC SM, 0.9mm	 #08794 Net Price: 0.395 USD Unit: pcs Connector SC/UPC SM, 3.0 mm
 #04704 Net Price: 0.707 USD Unit: pcs SC/APC Optic Fast Connector Connector type: SC/APC Attenuation: 0.25dB	 #04705 Net Price: 0.707 USD Unit: pcs SC/UPC Optic Fast Connector Connector type: SC/UPC Attenuation: 0.25dB	
Measuring Instruments		
 #07792 Net Price: 38.50 USD Unit: pcs Optical power meter -50 $\div$ +26dBm Compact and an easy-to-use testing device for optical fiber networks, which can be used for absolute optical power measurements as well as for relative loss measurements in optical fibers. It has wide range of power measurement and high accuracy. Measurement Range (dBm): -50 $\div$ +26dBm Detector type: InGaAs Wavelength: 850~1600nm Calibrated wave depths: 850/1300/1310/1490/1550/1625 nm Resolution: 0.01dBm (0.1%) Permissible operating temperature: -10 $^{\circ}$ C $\div$ 50 $^{\circ}$ C Storage temperature: -20 $^{\circ}$ C $\div$ 70 $^{\circ}$ C Power: 3x AAA battery Dimensions: 130x65x32 mm Weight: 122g (without batteries) Kit includes: Power meter, case, user manual, additional FC and SC adapter	 #07791 Net Price: 38.50 USD Unit: pcs Optical power meter -70 $\div$ +10dBm Compact and an easy-to-use testing instrument for optical fiber networks, which can be used for absolute optical power measurements as well as for relative loss measurements in optical fibers. It has a wide range of power measurement and a high accuracy. Measurement Range (dBm): -70 $\div$ +10dBm Detector type: InGaAs Wavelength: 850~1620nm Calibrated wave depths: 850/1300/1310/1490/1550/1625 nm Resolution: 0.01dBm (0.1%) Permissible operating temperature: -10 $^{\circ}$ C $\div$ 50 $^{\circ}$ C Storage temperature: -20 $^{\circ}$ C $\div$ 70 $^{\circ}$ C Power: 3x AAA battery Dimensions: 130x65x32 mm Weight: 122g (without batteries) Kit includes: Power meter, case, user manual, additional FC and SC adapter	 #07795 Net Price: 44.40 USD Unit: pcs Optical power meter -70 $\div$ +10dBm Compact and an easy-to-use testing instrument for optical fiber networks, which can be used for absolute optical power measurements as well as for relative loss measurements in optical fibers. It has a wide range of power measurement and a high accuracy. Additionally equipped with VFL. Measurement Range (dBm): -70 $\div$ +10dBm Detector type: InGaAs Wavelength: 850~1620nm Calibrated wave depths: 850/1300/1310/1490/1550/1625 nm Resolution: 0.01dBm (0.1%) Measurement accuracy: 3% Permissible operating temperature: -10 $^{\circ}$ C $\div$ 50 $^{\circ}$ C Storage temperature: -20 $^{\circ}$ C $\div$ 70 $^{\circ}$ C VFL: Class III, ≤ 10mW, continuous or pulsating operation Power: rechargeable battery (charger included) Dimensions: 80x43x16mm



#06819
Net Price:
1 730.00 USD
Unit: pcs

Optical power meter SFPOWERMETER (SimpliFiber Pro)

Measurement accuracy: ± 0.25 dB
Connector: removable, SC (standard), LC/ST (optional)
Detector type: InGaAs
Wavelength: 850/1300/1310/1490/1550/1625 nm
Measurement range: 10 dBm $\pm$ -52 dBm (850 nm), 10 dBm $\pm$ -60 dBm (1300/1310/1490/1550/1625 nm)
Measurement linearity for 850 nm: ± 0.2 dB (power from 0 dBm to -45 dBm), ± 0.25 dB (power < -45 dBm)
Measurement linearity for 1300/1310/1490/1550/1625 nm: ± 0.1 dB (power from 0 dBm to -55 dBm), ± 0.2 dB (power > 0 dBm and < -55 dBm)
Resolution: 0.01 dB



#06820
Net Price:
3 180.00 USD
Unit: pcs

Optical light source SM, 1310/1550 nm (SimpliFiber Pro)

Connector type: SC
Wavelength: 1310/1550 nm
Emitter type: laser
Output power: 8 dBm (minimum), -7 dBm (typical)
Source stability: ± 0.25 dB over 8 h
AA battery life: 30 h
Dimensions: 142x81x41 mm
Operating temperatures: $-10^{\circ}\text{C} + 50^{\circ}\text{C}$
Operating humidity: up to 95%, non-condensing
Certificates: CE, CSA, N10140
Weight: 278g



Optical light source, 1310/1550 nm

An optical light source with a wavelength of 1310 and 1550 nm for measuring multimode and singlemode fiber optic cables.

Wavelength: 1310/1550nm
Power: -7 dBm
Battery life: 45 h
Power supply: 3x AAA battery
Source stability: 0.04 dBm
Permissible operating temperature: $-10^{\circ}\text{C} + 50^{\circ}\text{C}$
Storage temperature: $-20^{\circ}\text{C} + 70^{\circ}\text{C}$
Dimensions: 130 x 63 x 29 mm
Weight: 160 g
Kit contents: light source, cover, user manual, case



#07794
Net Price:
107.00 USD
Unit: pcs

Optical light source, 850/1300 nm

An optical light source with a wavelength of 850 and 1300 nm for measuring multimode and singlemode fiber optic cables.

Wavelength: 850/1300nm
Power: -15 dBm
Battery life: 45 h
Power supply: 3x AAA battery
Source stability: 0.04 dBm
Permissible operating temperature: $-10^{\circ}\text{C} + 50^{\circ}\text{C}$
Storage temperature: $-20^{\circ}\text{C} + 70^{\circ}\text{C}$
Dimensions: 130 x 63 x 29 mm
Weight: 160 g
Kit contents: light source, cover, user manual, case



#03840
Net Price:
83.90 USD
Unit: pcs

Optical multimeter Noyafa NF-911C

The Optical multimeter Noyafa NF-911C is a measurement set in one housing, consisting of a precise source, an optical power meter and a visible light source, designed for bidirectional measurements of attenuation and reflectance in fiber optic systems and networks.

Optical power meter
Detector: InGaAs
Wavelength: 850 + 1700 nm
Power range: +26 dBm $\pm$ -50 dBm
Resolution: 0.01dBm
Connector: universal 2.5mm

Source of light
Wavelength: 1310 / 1550nm
Modulation frequency: 270Hz, 1kHz, 2kHz
Connector: universal 2.5mm

VFL
Wavelength: 650nm
Power: 20mW
Connector: universal 2.5mm

General parameters
Battery life: 240h
Power supply: 3x AA battery
Permissible operating temperature: $-20^{\circ}\text{C} + 70^{\circ}\text{C}$
Dimensions: 160 x 75 x 32 mm
Weight: 205g
Kit contents: Meter, Cover, User manual



#05721
Net Price:
555.00 USD
Unit: pcs

Visible light source - VISIFALT (FL-VISIFALT)

Fiber compatibility: singlemode, multimode
Wavelength: 650 nm
Connector: standard 2,5 mm connector for SC/FC/ST optical connectors, 1,25 mm (LC/MU) with FL-NF380
Laser safety rating: Class II
Max. output power: 1 mW
Output modes: continuous, flashing (2 Hz $\pm$ 3 Hz)
Range: 3 km (multimode), 4 km (singlemode)
Impact strength: 1m drop
Vibration: random, 2g, 5 Hz $\pm$ 500 Hz
Altitude: 3000 m
Operating temperature: $0^{\circ}\text{C} + 40^{\circ}\text{C}$
Operating humidity: 0% $\pm$ 95%, non-condensing
Dimensions: 157x52x37 mm



#03827
Net Price:
18.50 USD
Unit: pcs

Visible light source, aluminium alloy, 10mW

The visible light source is very helpful in measurements and identification of fibers of every type. The compact design and simple operation make it an ideal device in everyday use.

Wavelength: 640-665nm
Output: max. 10mW
Adapter: universal 2,5mm (SC, ST, FC)
Working modes: continuous or pulsation
Power: 2xAA
Dimensions: 170x13mm (length x diameter)
Cover: aluminium



#04177
Net Price:
24.10 USD
Unit: pcs

Wave Optics, WO-VFL-10-AL Visible light source

The visible light source is very helpful in measurements and identification of fibers of every type. Its compact design and ease of use make it an ideal device for everyday use.

Wavelength: 640-665nm
Output: max. 10mW
Adapter: universal 2.5mm (SC, ST, FC)
Working modes: continuous or pulsating
Power: 2xAA
Dimensions: 170x13mm (length x diameter)
Coating: aluminium
Manufacturer: Wave Optics



#03832
Net Price:
21.00 USD
Unit: pcs

Wave Optics, WO-VFL-10-AL Visible light source with build-in power bank

The visible light source is very helpful in measurements and identification of fibers of every type. Its compact design and ease of use make it an ideal device for everyday use.

Wavelength: 640-665nm
Output: max. 10mW
Adapter: universal 2,5mm (SC, ST, FC)
Working modes: continuous or pulsating
Power: 2xAA
Dimensions: 170x13mm (length x diameter)
Coating: aluminium
Manufacturer: Wave Optics



#04181

Net Price:
33.20 USD
Unit: pcs**Wave Optics, WO-VFL-20-AL Visible light source**

The visible light source is very helpful in measurements and identification of fibers of every type. Its compact design and ease of use make it an ideal device for everyday use.

Wavelength: 640-665nm
Output: max. 20mW
Adapter: universal 2.5mm (SC, ST, FC)
Working modes: continuous or pulsation
Power: 2xAA
Dimensions: 170x13mm (length x diameter)
Coating: aluminium
Manufacturer: Wave Optics

Fiber Optic Splice Boxes

#04710

Net Price:
21.30 USD
Unit: pcs**Splice box, 19", w/o front panel**

19" Fiber optic splice box without front panel.
Color: RAL9005 (black)



#04717

Net Price:
23.50 USD
Unit: pcs**Splice box, 19", w/o front panel, slide-in**

19" Fiber optic splice box without front panel.
Color: RAL9005 (black)



#06622

Net Price:
25.40 USD
Unit: pcs**Splice box, 12x SC duplex, 19", no adaptors**

Fiber optic splice box with front panel for 12 adaptors SC duplex, 19", adaptors not included



#06634

Net Price:
26.20 USD
Unit: pcs**Splice box, 24x SC duplex, 19", no adaptors**

Fiber optic splice box with front panel for 24 adaptors SC duplex, 19", adaptors not included



#06637

Net Price:
25.40 USD
Unit: pcs**Splice box, 24x SC simplex, 19", no adaptors**

Fiber optic splice box with front panel for 24 adaptors SC simplex, LC duplex or E2000, 19", adaptors not included



#07413

Net Price:
17.10 USD
Unit: pcs**Splice box, 24x SC simplex, 19" 3U, no adaptors**

Fiber optic splice box for 24 adaptors SC simplex, LC duplex or E2000, 19", adaptors not included



#04722

Net Price:
2.30 USD
Unit: pcs**12x SC duplex front panel**

Front panel for 12 adaptors SC duplex, 19", adaptors not included. Dedicated for #04717.



#04715

Net Price:
2.30 USD
Unit: pcs**12x SC duplex front panel**

Front panel for 12 adaptors SC duplex, 19", adaptors not included. Dedicated for #04710.



#04720

Net Price:
2.30 USD
Unit: pcs**12x SC simplex front panel**

Front panel for 12 adaptors SC simplex, 19", adaptors not included. Dedicated for #04717.



#04713

Net Price:
2.30 USD
Unit: pcs**12x SC simplex front panel**

Front panel for 12 adaptors SC simplex, 19", adaptors not included. Dedicated for #04710.



#04718

Net Price:
0.976 USD
Unit: pcs**12x ST simplex front panel**

Front panel for 12 adaptors ST simplex, 19", adaptors not included. Dedicated for #04717.



#04711

Net Price:
1.68 USD
Unit: pcs**12x ST simplex front panel**

Front panel for 12 adaptors ST simplex, 19", adaptors not included. Dedicated for #04710.



#04716

Net Price:
2.30 USD
Unit: pcs**24x SC duplex front panel**

Front panel for 24 adaptors SC duplex, 19", adaptors not included. Dedicated for #04710.



#04723

Net Price:
2.30 USD
Unit: pcs**24x SC duplex front panel**

Front panel for 24 adaptors SC duplex, 19", adaptors not included. Dedicated for #04717.



#04714

Net Price:
2.30 USD
Unit: pcs**24x SC simplex front panel**

Front panel for 24 adaptors SC simplex, 19", adaptors not included. Dedicated for #04710.



#04721

Net Price:
2.30 USD
Unit: pcs**24x SC simplex front panel**

Front panel for 24 adaptors SC simplex, 19", adaptors not included. Dedicated for #04717.



#04712

Net Price:
1.90 USD
Unit: pcs**24x ST simplex front panel**

Front panel for 24 adaptors ST simplex, 19", adaptors not included. Dedicated for #04710.



#04719

Net Price:
1.90 USD
Unit: pcs**24x ST simplex front panel**

Front panel for 24 adaptors ST simplex, 19", adaptors not included. Dedicated for #04717.



#06702
Net Price:
48.00 USD
Unit: set

Splice box, 12xSC/APC SM duplex, 24x pigtail SC/APC SC 1m

Splice box include:
- 12 adaptors SC/APC SM DX #08725
- 24 pigtails SC/APC SM 1m #08688
- 2 splice trays with cover #04108



#06700
Net Price:
48.00 USD
Unit: set

Splice box, 12xSC/UPC MM duplex, 24x pigtail SC/UPC MM 1m

Splice box include:
- 12 adaptors SC/UPC MM DX #08723
- 24 pigtails SC/UPC MM 1m #08691
- 2 splice trays with cover #04108



#06701
Net Price:
48.00 USD
Unit: set

Splice box, 12xSC/UPC SM duplex, 24x pigtail SC/UPC SM 1m

Splice box include:
- 12 adaptors SC/UPC SM DX #08724
- 24 pigtails SC/UPC SM 1m #08685
- 2 splice trays with cover #04108



#06705
Net Price:
48.00 USD
Unit: set

Splice box, 24xSC/APC SM simplex, 24x pigtail SC/APC SM 1m

Splice box include:
- 24 adaptors SC/APC SM SX #08722
- 24 pigtails SC/APC SM 1m #08688
- 2 splice trays with cover #04108



#06703
Net Price:
48.00 USD
Unit: set

Splice box, 24xSC/UPC MM simplex, 24x pigtail SC/UPC MM 1m

Splice box include:
- 24 adaptors SC/UPC MM SX #08720
- 24 pigtails SC/UPC MM 1m #08691
- 2 splice trays with cover #04108



#07500
Net Price:
31.80 USD
Unit: pcs

Splice box, 12 cores FTTH box

Fiber optic splicing box for 12 adaptors SC simplex, LC duplex or E2000 with key. Wall mounting enabled.
Dimensions: 300x300x83 mm



#04708
Net Price:
20.00 USD
Unit: pcs

Splice box, 16 cores outdoor (IP65) FTTH box, PLC

FTTH outdoor box. Wall mounting enabled. Waterproof IP65. PLC not included.
Dimensions: 285x175x103 mm



#07779
Net Price:
28.30 USD
Unit: pcs

Splice box, 24 cores outdoor (IP65) FTTH box, 16x SC simplex, w/o adaptors

FTTH outdoor box for 24 adaptors SC simplex, LC duplex or E2000 with key. Wall mounting enabled. Waterproof IP65. Adaptor not included.



#07399
Net Price:
6.83 USD
Unit: pcs

Splice box, 24 cores outdoor (IP65) FTTH box, for PLC splitters

FTTH outdoor box for PLC splitters. Wall mounting enabled. Waterproof IP65.
Dimensions: 170x290x80 mm



#07437
Net Price:
6.91 USD
Unit: pcs

Splice box, 4 cores FTTH box

Fiber optic splicing metal box for 4 adaptors SC simplex, LC duplex or E2000. Wall mounting enabled.
Dimensions: 200x130x50 mm



#07452
Net Price:
8.78 USD
Unit: pcs

Splice box, 4 cores outdoor (IP65) FTTH box, 2x SC simplex, w/o adaptors

FTTH outdoor box for 2 adaptors SC simplex, LC duplex or E2000 with key. Wall mounting enabled. Waterproof IP65. Adaptor not included.
Dimensions: 220x155x53 mm



#07424
Net Price:
6.44 USD
Unit: pcs

Splice box, 4 cores outdoor (IP65) FTTH box, 4x SC simplex, w/o adaptors

FTTH outdoor box for 4 adaptors SC simplex, LC duplex or E2000 with key. Wall mounting enabled. Waterproof IP65. Adaptor not included.
Dimensions: 187x117x40 mm



#07438
Net Price:
10.30 USD
Unit: pcs

Splice box, 8 cores FTTH box

Fiber optic splicing metal box for 8 adaptors SC simplex, LC duplex or E2000. Wall mounting enabled.
Dimensions: 200x170x45 mm



#07432
Net Price:
13.70 USD
Unit: pcs

Splice box, 8 cores outdoor (IP65) FTTH box, 8x SC simplex, w/o adaptors

FTTH outdoor box for 8 adaptors SC simplex, LC duplex or E2000 with key. Wall mounting enabled. Waterproof IP65. Adaptor not included.
Dimensions: 245x205x65 mm



#07777
Net Price:
10.60 USD
Unit: pcs

Splice box, 8 cores outdoor (IP65) FTTH box, 8x SC simplex, w/o adaptors

FTTH outdoor box for 8 adaptors SC simplex, LC duplex or E2000 with key. Wall mounting enabled. Waterproof IP65. Adaptor not included.
Dimensions: 230x170x55 mm



#07453
Net Price:
18.00 USD
Unit: pcs

Splice box, 12 cores outdoor (IP65) FTTH box, 6x SC duplex, w/o adaptors

FTTH outdoor box for 6 adaptors SC duplex with key. Wall mounting enabled. Waterproof IP65. Adaptor not included.
Dimensions: 260 x 185 x 60 [mm]



#07439
Net Price:
13.20 USD
Unit: pcs

Splice box, 16 cores FTTH box

Fiber optic splicing metal box for 16 adaptors SC simplex, LC duplex or E2000. Wall mounting enabled.
Dimensions: 220x200x40 mm
Kit includes: frame for 16 SC simplex adaptors, mounts for 24 splices, 16x splice protectors, cable glands, plastic cable organisers, wall mounting screws




#07778
Net Price:
15.10 USD
Unit: pcs

Splice box, 16 cores outdoor (IP65) FTTH box, 16x SC simplex, w/o adaptors

FTTH outdoor box for 16 adaptors SC simplex, LC duplex or E2000 with key. Wall mounting enabled. Waterproof IP65. Adaptor not included.
Dimensions: 300x260x100 mm



 #07780 Net Price: 27.60 USD Unit: pcs Splice box, 24 cores outdoor (IP65) FTTH box, 24x SC simplex, w/o adaptors FTTH outdoor box for 24 adaptors SC simplex, LC duplex or E2000 with key. Wall mounting enabled. Waterproof IP65. Adaptor not included. Dimensions: 330x270x120 mm	 #07451 Net Price: 33.40 USD Unit: pcs Splice box, 48 cores FTTH box Fiber optic splicing box for 24 adaptors SC simplex, LC duplex or E2000 with key. Wall mounting enabled. Dimensions: 410x450x160 mm	 #06704 Net Price: 15.00 USD Unit: pcs Splice box, 16x SC duplex, 10", no adaptors Fiber optic splice box with front panel for 16 adaptors SC duplex, 10", adaptors not included Depth: 167mm
 #04707 Net Price: 3.59 USD Unit: pcs DIN Splice box, 4x SC simplex, no adaptors Fiber optic splicing plastic box for 4 adaptors SC simplex. DIN-Rail and wall mounting enabled. Dimensions: 100x80x32mm	 #08329 Net Price: 16.10 USD Unit: pcs Wall-mount type splice box, 6x SC duplex, no adaptors Fiber optic splicing metal box for 6 adaptors SC duplex with key. Wall mounting enabled.	 #07428 Net Price: 8.68 USD Unit: pcs DIN Splice box, 6x SC duplex, no adaptors Fiber optic splicing plastic box for 6 adaptors SC duplex. DIN-Rail and wall mounting enabled. Dimmensions: 125x132x35mm Includes: splice tray, cable glands Adaptors: not included, suitable for 6x SC duplex
 #08858 Net Price: 8.68 USD Unit: pcs DIN Splice box, 8x SC simplex, no adaptors Fiber optic splicing metal box for 8 adaptors SC simplex, LC duplex or E2000. DIN-Rail and wall mounting enabled. Adaptors: none, 8 slots for SC simplex adaptors Dimensions: 125x132x35mm	 #08334 Net Price: 9.27 USD Unit: pcs Mini splice box, 8x SC simplex, no adaptors Fiber optic splicing plastic box for 8 adaptors SC simplex, LC duplex or E2000. Wall mounting enabled.	 #08330 Net Price: 20.30 USD Unit: pcs Wall-mount type splice box, 12x SC duplex, no adaptors Fiber optic splicing metal box for 12 adaptors SC duplex with key. Wall mounting enabled. Adaptors: none, 12 slots for SC duplex Splice trays: 2pcs for 12 cores each Dimensions: 265x254x65mm
 #03823 Net Price: 15.40 USD Unit: pcs DIN Splice box, 12x SC duplex, no adaptors Fiber optic splicing metal box for 12 adaptors SC duplex. Dimmensions: 135x150x63mm Includes: splice tray, cable glands Adaptors: not included, suitable for 12x SC duplex	 #03829 Net Price: 0.834 USD Unit: pcs Mini splice box for optical patchcords Protector box can be used for joining two simplex 2-3mm fiber patchcords with SC connectors.	 #07773 Net Price: 15.10 USD Unit: pcs Fiber optic splice closure Fiber optic splice closure for 12 cores. Mechanical performance comply with IEC10113-1 standards. The splice case and sealing packing can be opened and refused more than 10 times. Using life > 30 years.
 #07422 Net Price: 21.70 USD Unit: pcs Fiber optic splice closure Fiber optic splice closure for 24 cores. Mechanical performance comply with IEC10113-1 standards. The splice case and sealing packing can be opened and refused more than 10 times. Using life > 30 years. Dimensions: 385x180x90 mm Performance standard: IEC10113-1 Durability: 30 years Protection: IP67, can be opened and refused more than 10 times	 #07774 Net Price: 18.20 USD Unit: pcs Splice closure, 2x24 splices Fiber optic splice closure with 2 splice tray. Each splice tray core capacity is 24. Dimensions: 345x110mm (height x diameter)	 #07410 Net Price: 42.60 USD Unit: pcs Splice closure, 2x24 splices Fiber optic splice closure with 2 splice tray. Each splice tray core capacity is 24.
 #07411 Net Price: 41.00 USD Unit: pcs Splice closure, 3x24 splices Fiber optic splice closure with 3 splice tray. Each splice tray core capacity is 24.	 #07412 Net Price: 42.00 USD Unit: pcs Splice closure, 4x24 splices Fiber optic splice closure with 4 splice tray. Each splice tray core capacity is 24.	 #07450 Net Price: 22.70 USD Unit: pcs Fiber optic splice closure 48 cores Fiber optic splice closure for 48 cores. Mechanical performance comply with IEC10113-1 standards. The splice case and sealing packing can be opened and refused more than 10 times. Using life > 30 years.


#07772

Net Price:
25.90 USD
Unit: pcs

Fiber optic splice closure 96 cores

Fiber optic splice closure for 48 cores. Mechanical performance comply with IEC10113-1 standards. The splice case and sealing packing can be opened and reused more than 10 times. Using life > 30 years.

Attenuators, Couplers, Splitters		
 #08772 Net Price: 4.06 USD Unit: pcs PLC splitter SM 1x2 0.9mm, G657A fiber Channel Number: 1x2 Operation Wavelength: 1260 ~ 1650 nm Insertion Loss: <=4.0 dB Uniformity: <=0.4 dB PDL: <=0.2 dB Return Loss: >=50 dB Directivity: >=55 dB Fiber Type: G657A Pigtail Type: Input - tight tube, Output - loose tube Input Length: >=1.5 m Output Length: >=1.5 m Fiber Mark: Input - white, Output - blue/orange Operation Temperature: -40 + 85 °C	 #08773 Net Price: 4.61 USD Unit: pcs PLC splitter SM 1x4 0.9mm, G657A fiber Channel Number: 1x4 Operation Wavelength: 1260 ~ 1650 nm Insertion Loss: <=7.4 dB Uniformity: <=0.6 dB PDL (1310/1550nm): <=0.2 dB Return Loss (1310/1550nm): >=50 dB Directivity: >=55 dB Fiber Type: SMF-28e Pigtail Type: Input - 0.9mm tight tube, Output - 0.9mm loose tube Input Length: >=1.5 m Output Length: >=1.5 m Fiber Mark: Input - white, Output - Grey, White, Red, Black Operation Temperature: -40 + 85 °C	 #08774 Net Price: 5.05 USD Unit: pcs PLC splitter SM 1x8 0.9mm, G657A fiber Channel Number: 1x8 Operation Wavelength: 1260 ~ 1650 nm Insertion Loss: <=10.7 dB Uniformity: <=0.8 dB PDL: <=0.3 dB Return Loss: >=50 dB Directivity: >=55 dB Fiber Type: G657A Pigtail Type: 2.0mm loose tube Length: >=1.5 m Fiber Mark: Input - Yellow, Output - Yellow Operation Temperature: -40 + 85 °C
 #08775 Net Price: 8.34 USD Unit: pcs PLC splitter SM 1x16 0.9mm, G657A fiber Channel Number: 1x16 Operation Wavelength: 1260 ~ 1650 nm Insertion Loss: <=13.6 dB Uniformity: <=1.2 dB PDL: <=0.3 dB Return Loss: >=50 dB Directivity: >=55 dB Fiber Type: G657A Pigtail Type: 2.0mm loose tube Length: >=1.2 m Fiber Mark: Input - Yellow, Output - Yellow Operation Temperature: -40 + 85 °C	 #08776 Net Price: 18.20 USD Unit: pcs PLC splitter SM 1x32 0.9mm, G657A fiber Channel Number: 1x32 Operation Wavelength: 1260 ~ 1650 nm Insertion Loss: <=17.3 dB Uniformity: <=1.7 dB PDL: <=0.3 dB Return Loss: >=50 dB Directivity: >=55 dB Fiber Type: G657A Pigtail Type: 2.0mm loose tube Length: >=1.5 m Fiber Mark: Input - Yellow, Output - Yellow Operation Temperature: -40 + 85 °C	 #08777 Net Price: 46.10 USD Unit: pcs PLC splitter SM 1x64 0.9mm, G657A fiber Channel Number: 1x64 Operation Wavelength: 1260 ~ 1650 nm Insertion Loss: <=21.3 dB Uniformity: <=2.5 dB PDL: <=0.5 dB Return Loss: >=50 dB Directivity: >=55 dB Fiber Type: G657A Pigtail Type: 2.0mm loose tube Length: >=1.5 m Fiber Mark: Yellow Operation Temperature: -40 + 85 °C
 #08784 Net Price: 3.07 USD Unit: pcs Coupler 1x2, 1%/99% 1310+1550 nm	 #08785 Net Price: 3.07 USD Unit: pcs Coupler 1x2, 2%/98% 1310+1550 nm	 #08786 Net Price: 3.07 USD Unit: pcs Coupler 1x2, 5%/95% 1310+1550 nm
 #08779 Net Price: 3.07 USD Unit: pcs Coupler 1x2, 10%/90% 1310+1550 nm	 #08780 Net Price: 3.07 USD Unit: pcs Coupler 1x2, 20%/80% 1310+1550 nm	 #08781 Net Price: 3.07 USD Unit: pcs Coupler 1x2, 30%/70% 1310+1550 nm
 #08782 Net Price: 3.07 USD Unit: pcs Coupler 1x2, 40%/60% 1310+1550 nm	 #08783 Net Price: 3.07 USD Unit: pcs Coupler 1x2, 50%/50% 1310+1550 nm	 #08593 Net Price: 3.07 USD Unit: pcs Attenuator 0dB LC/UPC(F) - LC/UPC(M) singlemode Operating Wavelength: 1200-1600nm or 1310nm, 1550nm Return Loss: <=55 dB (UPC) Attenuation Accuracy: +/-0.5 Polarization Dependent Loss: <=0.2dB Maximum Optical Input Power: 200mW Operating Temperature: -40 + 80°C



#08750
Net Price:
1.27 USD
Unit: pcs

**Attenuator 5dB LC/UPC(F) - LC/UPC(F)
singlemode**

Operating Wavelength: 1200-1600nm or 1310nm, 1550nm
Return Loss: ≤ 55 dB (UPC)
Attenuation Accuracy: ± 0.5
Polarization Dependent Loss: ≤ 0.2 dB
Maximum Optical Input Power: 200mW
Operating Temperature: $-40 \pm 80^{\circ}\text{C}$



#08756
Net Price:
3.07 USD
Unit: pcs

**Attenuator 5dB LC/UPC(F) - LC/UPC(M)
singlemode**

Operating Wavelength: 1200-1600nm or 1310nm, 1550nm
Return Loss: ≤ 55 dB (UPC)
Attenuation Accuracy: ± 0.5
Polarization Dependent Loss: ≤ 0.2 dB
Maximum Optical Input Power: 200mW
Operating Temperature: $-40 \pm 80^{\circ}\text{C}$



#08763
Net Price:
1.10 USD
Unit: pcs

**Attenuator 8dB SC/UPC(F) - SC/UPC(F)
singlemode**

Operating Wavelength: 1200-1600nm or 1310nm, 1550nm
Return Loss: ≤ 55 dB (UPC)
Attenuation Accuracy: ± 0.5
Polarization Dependent Loss: ≤ 0.2 dB
Maximum Optical Input Power: 200mW
Operating Temperature: $-40 \pm 80^{\circ}\text{C}$



#08769
Net Price:
3.95 USD
Unit: pcs

**Attenuator 8dB SC/UPC(F) - SC/UPC(M)
singlemode**

Operating Wavelength: 1200-1600nm or 1310nm, 1550nm
Return Loss: ≤ 55 dB (UPC)
Attenuation Accuracy: ± 0.5
Polarization Dependent Loss: ≤ 0.2 dB
Maximum Optical Input Power: 200mW
Operating Temperature: $-40 \pm 80^{\circ}\text{C}$



#08751
Net Price:
1.27 USD
Unit: pcs

**Attenuator 8dB LC/UPC(F) - LC/UPC(F)
singlemode**

Operating Wavelength: 1200-1600nm or 1310nm, 1550nm
Return Loss: ≤ 55 dB (UPC)
Attenuation Accuracy: ± 0.5
Polarization Dependent Loss: ≤ 0.2 dB
Maximum Optical Input Power: 200mW
Operating Temperature: $-40 \pm 80^{\circ}\text{C}$



#08757
Net Price:
3.07 USD
Unit: pcs

**Attenuator 8dB LC/UPC(F) - LC/UPC(M)
singlemode**

Operating Wavelength: 1200-1600nm or 1310nm, 1550nm
Return Loss: ≤ 55 dB (UPC)
Attenuation Accuracy: ± 0.5
Polarization Dependent Loss: ≤ 0.2 dB
Maximum Optical Input Power: 200mW
Operating Temperature: $-40 \pm 80^{\circ}\text{C}$



#08752
Net Price:
1.27 USD
Unit: pcs

**Attenuator 10dB LC/UPC(F) - LC/UPC(F)
singlemode**

Operating Wavelength: 1200-1600nm or 1310nm, 1550nm
Return Loss: ≤ 55 dB (UPC)
Attenuation Accuracy: ± 0.5
Polarization Dependent Loss: ≤ 0.2 dB
Maximum Optical Input Power: 200mW
Operating Temperature: $-40 \pm 80^{\circ}\text{C}$



#08758
Net Price:
3.07 USD
Unit: pcs

**Attenuator 10dB LC/UPC(F) - LC/UPC(M)
singlemode**

Operating Wavelength: 1200-1600nm or 1310nm, 1550nm
Return Loss: ≤ 55 dB (UPC)
Attenuation Accuracy: ± 0.5
Polarization Dependent Loss: ≤ 0.2 dB
Maximum Optical Input Power: 200mW
Operating Temperature: $-40 \pm 80^{\circ}\text{C}$



#08764
Net Price:
1.10 USD
Unit: pcs

**Attenuator 10dB SC/UPC(F) - SC/UPC(F)
singlemode**

Operating Wavelength: 1200-1600nm or 1310nm, 1550nm
Return Loss: ≤ 55 dB (UPC)
Attenuation Accuracy: ± 0.5
Polarization Dependent Loss: ≤ 0.2 dB
Maximum Optical Input Power: 200mW
Operating Temperature: $-40 \pm 80^{\circ}\text{C}$



#08770
Net Price:
3.95 USD
Unit: pcs

**Attenuator 10dB SC/UPC(F) - SC/UPC(M)
singlemode**

Operating Wavelength: 1200-1600nm or 1310nm, 1550nm
Return Loss: ≤ 55 dB (UPC)
Attenuation Accuracy: ± 0.5
Polarization Dependent Loss: ≤ 0.2 dB
Maximum Optical Input Power: 200mW
Operating Temperature: $-40 \pm 80^{\circ}\text{C}$



#08753
Net Price:
1.27 USD
Unit: pcs

**Attenuator 15dB LC/UPC(F) - LC/UPC(F)
singlemode**

Operating Wavelength: 1200-1600nm or 1310nm, 1550nm
Return Loss: ≤ 55 dB (UPC)
Attenuation Accuracy: ± 1.0
Polarization Dependent Loss: ≤ 0.2 dB
Maximum Optical Input Power: 200mW
Operating Temperature: $-40 \pm 80^{\circ}\text{C}$



#08759
Net Price:
3.07 USD
Unit: pcs

**Attenuator 15dB LC/UPC(F) - LC/UPC(M)
singlemode**

Operating Wavelength: 1200-1600nm or 1310nm, 1550nm
Return Loss: ≤ 55 dB (UPC)
Attenuation Accuracy: ± 1.0
Polarization Dependent Loss: ≤ 0.2 dB
Maximum Optical Input Power: 200mW
Operating Temperature: $-40 \pm 80^{\circ}\text{C}$



#08765
Net Price:
1.10 USD
Unit: pcs

**Attenuator 15dB SC/UPC(F) - SC/UPC(F)
singlemode**

Operating Wavelength: 1200-1600nm or 1310nm, 1550nm
Return Loss: ≤ 55 dB (UPC)
Attenuation Accuracy: ± 1.0
Polarization Dependent Loss: ≤ 0.2 dB
Maximum Optical Input Power: 200mW
Operating Temperature: $-40 \pm 80^{\circ}\text{C}$



#08771
Net Price:
3.95 USD
Unit: pcs

**Attenuator 15dB SC/UPC(F) - SC/UPC(M)
singlemode**

Operating Wavelength: 1200-1600nm or 1310nm, 1550nm
Return Loss: ≤ 55 dB (UPC)
Attenuation Accuracy: ± 1.0
Polarization Dependent Loss: ≤ 0.2 dB
Maximum Optical Input Power: 200mW
Operating Temperature: $-40 \pm 80^{\circ}\text{C}$



#08591
Net Price:
3.95 USD
Unit: pcs

**Attenuator 0dB SC/APC(F) - SC/APC(M),
singlemode**

Operating Wavelength: 1200-1600nm or 1310nm, 1550nm
Return Loss: ≤ 55 dB (APC)
Attenuation Accuracy: ± 0.5
Polarization Dependent Loss: ≤ 0.2 dB
Maximum Optical Input Power: 200mW
Operating Temperature: $-40 \pm 80^{\circ}\text{C}$



 #08814 Net Price: 3.29 USD Unit: pcs Attenuator 1dB LC/APC(F) - LC/APC(M) singlemode Operating Wavelength: 1200-1600nm or 1310nm, 1550nm Return Loss: <=55 dB (APC) Attenuation Accuracy: +/-0.5 Polarization Dependent Loss: <=0.2dB Maximum Optical Input Power: 200mW Operating Temperature: -40 ÷ 80°C	 #08821 Net Price: 3.95 USD Unit: pcs Attenuator 1dB SC/APC(F) - SC/APC(M) singlemode Operating Wavelength: 1200-1600nm or 1310nm, 1550nm Return Loss: <=55 dB (APC) Attenuation Accuracy: +/-0.5 Polarization Dependent Loss: <=0.2dB Maximum Optical Input Power: 200mW Operating Temperature: -40 ÷ 80°C	 #08815 Net Price: 3.29 USD Unit: pcs Attenuator 2dB LC/APC(F) - LC/APC(M) singlemode Operating Wavelength: 1200-1600nm or 1310nm, 1550nm Return Loss: <=55 dB (APC) Attenuation Accuracy: +/-0.5 Polarization Dependent Loss: <=0.2dB Maximum Optical Input Power: 200mW Operating Temperature: -40 ÷ 80°C
 #08822 Net Price: 3.95 USD Unit: pcs Attenuator 2dB SC/APC(F) - SC/APC(M) singlemode Operating Wavelength: 1200-1600nm or 1310nm, 1550nm Return Loss: <=55 dB (APC) Attenuation Accuracy: +/-0.5 Polarization Dependent Loss: <=0.2dB Maximum Optical Input Power: 200mW Operating Temperature: -40 ÷ 80°C	 #08816 Net Price: 3.29 USD Unit: pcs Attenuator 3dB LC/APC(F) - LC/APC(M) singlemode Operating Wavelength: 1200-1600nm or 1310nm, 1550nm Return Loss: <=55 dB (APC) Attenuation Accuracy: +/-0.5 Polarization Dependent Loss: <=0.2dB Maximum Optical Input Power: 200mW Operating Temperature: -40 ÷ 80°C	 #08823 Net Price: 3.95 USD Unit: pcs Attenuator 3dB SC/APC(F) - SC/APC(M) singlemode Operating Wavelength: 1200-1600nm or 1310nm, 1550nm Return Loss: <=55 dB (APC) Attenuation Accuracy: +/-0.5 Polarization Dependent Loss: <=0.2dB Maximum Optical Input Power: 200mW Operating Temperature: -40 ÷ 80°C
 #08817 Net Price: 3.29 USD Unit: pcs Attenuator 5dB LC/APC(F) - LC/APC(M) singlemode Operating Wavelength: 1200-1600nm or 1310nm, 1550nm Return Loss: <=55 dB (APC) Attenuation Accuracy: +/-0.5 Polarization Dependent Loss: <=0.2dB Maximum Optical Input Power: 200mW Operating Temperature: -40 ÷ 80°C	 #08824 Net Price: 3.95 USD Unit: pcs Attenuator 5dB SC/APC(F) - SC/APC(M) singlemode Operating Wavelength: 1200-1600nm or 1310nm, 1550nm Return Loss: <=55 dB (APC) Attenuation Accuracy: +/-0.5 Polarization Dependent Loss: <=0.2dB Maximum Optical Input Power: 200mW Operating Temperature: -40 ÷ 80°C	 #08818 Net Price: 3.29 USD Unit: pcs Attenuator 8dB LC/APC(F) - LC/APC(M) singlemode Operating Wavelength: 1200-1600nm or 1310nm, 1550nm Return Loss: <=55 dB (APC) Attenuation Accuracy: +/-0.5 Polarization Dependent Loss: <=0.2dB Maximum Optical Input Power: 200mW Operating Temperature: -40 ÷ 80°C
 #08825 Net Price: 3.95 USD Unit: pcs Attenuator 8dB SC/APC(F) - SC/APC(M) singlemode Operating Wavelength: 1200-1600nm or 1310nm, 1550nm Return Loss: <=55 dB (APC) Attenuation Accuracy: +/-0.5 Polarization Dependent Loss: <=0.2dB Maximum Optical Input Power: 200mW Operating Temperature: -40 ÷ 80°C	 #08826 Net Price: 3.95 USD Unit: pcs Attenuator 10dB SC/APC(F) - SC/APC(M) singlemode Operating Wavelength: 1200-1600nm or 1310nm, 1550nm Return Loss: <=55 dB (APC) Attenuation Accuracy: +/-0.5 Polarization Dependent Loss: <=0.2dB Maximum Optical Input Power: 200mW Operating Temperature: -40 ÷ 80°C	 #08819 Net Price: 3.29 USD Unit: pcs Attenuator 10dB LC/APC(F) - LC/APC(M) singlemode Operating Wavelength: 1200-1600nm or 1310nm, 1550nm Return Loss: <=55 dB (APC) Attenuation Accuracy: +/-0.5 Polarization Dependent Loss: <=0.2dB Maximum Optical Input Power: 200mW Operating Temperature: -40 ÷ 80°C
 #08820 Net Price: 3.29 USD Unit: pcs Attenuator 15dB LC/APC(F) - LC/APC(M) singlemode Operating Wavelength: 1200-1600nm or 1310nm, 1550nm Return Loss: <=55 dB (APC) Attenuation Accuracy: +/-0.5 Polarization Dependent Loss: <=0.2dB Maximum Optical Input Power: 200mW Operating Temperature: -40 ÷ 80°C	 #08827 Net Price: 3.95 USD Unit: pcs Attenuator 15dB SC/APC(F) - SC/APC(M) singlemode Operating Wavelength: 1200-1600nm or 1310nm, 1550nm Return Loss: <=55 dB (APC) Attenuation Accuracy: +/-0.5 Polarization Dependent Loss: <=0.2dB Maximum Optical Input Power: 200mW Operating Temperature: -40 ÷ 80°C	
FTTH Equipment		
 #07423 Net Price: 1.63 USD Unit: pcs 2 cores FTTH box, 1x SC duplex, w/o adaptors FTTH box for 1 adaptor SC duplex. Wall mounting enabled. Adaptor not included.	 #07776 Net Price: 1.12 USD Unit: pcs 2 cores FTTH box, 1x SC simplex, w/o adaptors FTTH box for 1 adaptor SC simplex or LC duplex. Wall mounting enabled. Adaptor not included.	



 #07418 Net Price: 0.727 USD Unit: pcs 2 cores FTTH box, 2x SC simplex, w/o adaptors FTTH box for 2 adaptor SC simplex, LC duplex or E2000. Wall mounting enabled. Adaptors not included. Size: 86x86x22mm	 #07775 Net Price: 0.654 USD Unit: pcs 2 cores FTTH box, 2x SC simplex, w/o adaptors FTTH box for 2 adaptor SC simplex, LC duplex or E2000. Wall mounting enabled. Adaptors not included.	 #07419 Net Price: 3.07 USD Unit: pcs 4 cores FTTH box, 4x SC simplex, w/o adaptor FTTH box for 4 adaptor SC simplex, LC duplex or E2000. Wall mounting enabled. Adaptors not included. Dimensions: 150x110x30mm
Fiber Optic Tools, Consumables		
 #04163 Net Price: 8.12 USD Unit: tube Adaptor cleaning stick, 1.25 mm (LC, MU) Dust-free sticks for cleaning elements with a diameter of 1.25mm (such as adapters, holes in polishing wheels, ports in meters) or other hard-to-reach surfaces. They leave the surface perfectly clean and scratch-free.	 #03800 Net Price: 0.405 USD Unit: pcs Adaptor cleaning stick, 1.25 mm (LC, MU) Cleaning stick for 1.25mm adaptor cleaning. Dust-free sticks for cleaning elements with a diameter of 1.25mm (such as adapters, holes in polishing wheels, ports in meters) or other hard-to-reach surfaces. They leave the surface perfectly clean and scratch-free.	 #03801 Net Price: 0.405 USD Unit: pcs Adaptor cleaning stick, 2.5 mm Dust-free sticks for cleaning elements with a diameter of 1.25mm (such as adapters, holes in polishing wheels, ports in meters) or other hard-to-reach surfaces. They leave the surface perfectly clean and scratch-free.
 #04167 Net Price: 2.45 USD Unit: pcs Alcohol dispenser w/ push down pump, 100ml	 #04126 Net Price: 4.35 USD Unit: pcs Cleaning wipes Kim-Wipes dust-free wipes for cleaning fiber optic connectors, can be used dry or soaked in isopropyl alcohol. Quantity in package: 280pcs. Dimensions: 11x21cm	 #04127 Net Price: 0.522 USD Unit: pcs Cleaning wipes with alcohol Wipes soaked in a solution of 91% isopropyl alcohol and 9% distilled water. Dimensions: 100mm x 76mm
 #02460 Net Price: 6.50 USD Unit: pcs Epoxy glue 353ndn, 5gram, for oven (not self curing) Epoxy adhesive for fiber optic connectors with high thermal stability. The package is intended for 50 joints.	 #07940 Net Price: 99.50 USD Unit: pcs Handheld microscope, 400x Handheld passive microscope for Ø 2.5 mm (ST, FC, SC) and 1.25mm (LC) ferrules inspection. Backlight powered by three AAA-type batteries. Magnification: 400x Power: 3xAAA Adapters: 1.25mm; 2.5mm Cover: aluminum in a rubber coating	 #04170 Net Price: 5.70 USD Unit: pcs Isopropyl alcohol (Kontakt IPA Plus) Isopropyl alcohol is used for cleaning all optical elements. It safely removes any pollution from their delicate surface. It is perfect for degreasing and removing impurities from optical fibers before installing or welding joints. It is also used to clean the ferrule face after polishing.
 #04075 Net Price: 3.38 USD Unit: pcs Isopropyl alcohol (Kontakt IPA Plus) 300ml, spray Isopropyl alcohol is used for cleaning all optical elements. It safely removes any pollution from their delicate surface. It is perfect for degreasing and removing impurities from optical fibers before installing or welding joints. It is also used to clean the ferrule face after polishing.	 #03400 Net Price: 5.05 USD Unit: pcs Isopropyl alcohol (Kontakt IPA Plus) 600ml, spray Isopropyl alcohol is used for cleaning all optical elements. It safely removes any pollution from their delicate surface. It is perfect for degreasing and removing impurities from optical fibers before installing or welding joints. It is also used to clean the ferrule face after polishing.	 #03044 Net Price: 60.70 USD Unit: pcs Laser safety glasses Suitable for UV and fiber laser eye protection Wavelength: 190-470nm, 800-1700nm Optical density: OD=5 Visual light transmission: VLT=50% Lens size: 65 x 55mm Weight: 47g
 #07768 Net Price: 0.951 USD Unit: pcs Mechanical splice	 #07769 Net Price: 1.49 USD Unit: pcs Mechanical splice with protection cover	 #07781 Net Price: 0.071 USD Unit: pcs Mini splice box Protector box can be used for joining two simplex fibers.



 #03804 Net Price: 34.70 USD Unit: pcs One-click cleaner for 1,25mm ferrules (LC, MU) The one-click cleaner is designed for cleaning the ferrules of LC and MU connectors. Purpose: adapter and ferrules 1.25mm (LC;MU) Lifetime: 800+ uses Packaging: cardboard box	 #03803 Net Price: 34.70 USD Unit: pcs One-click cleaner for 2,5mm ferrules (SC, ST, FC) This one-click cleaner is designed for cleaning the ferrules of SC, ST and FC connectors. Purpose: adapter and ferrules 2.5mm (SC;ST) Lifetime: 800+ uses Packaging: Cardboard box	 #07789 Net Price: 31.80 USD Unit: pcs Optic fiber connector cleaner Meant for cleaning the ferrules of SC, LC, ST, FC, MU, MT connectors. Purpose: SC; LC; ST; FC; MU; MT connectors Lifetime: approx. 500 uses Dimensions: 135x70x30mm Packaging: cardboard box
 #04168 Net Price: 1.72 USD Unit: pcs Polishing paper, 1 µm Polishing paper, 1µm, pink, for manual polishing in A4 format.	 #04130 Net Price: 1.72 USD Unit: pcs Polishing paper, 3 µm Polishing paper, 3µm, yellow, for manual polishing in A4 format.	 #04151 Net Price: 1.72 USD Unit: pcs Polishing paper, 5 µm Polishing paper, 5µm, white, for manual polishing in A4 format.
 #04153 Net Price: 1.72 USD Unit: pcs Polishing paper, 9 µm Polishing paper, 9µm, dark blue, for manual polishing in A4 format.	 #04128 Net Price: 1.72 USD Unit: pcs Polishing paper, 0.3 µm Polishing paper, 0.3µm, blue, for manual polishing in A4 format.	 #08413 Net Price: 1.72 USD Unit: pcs Polishing paper, 12 µm Polishing paper, 9µm, salmon pink, for manual polishing in A4 format.
 #04129 Net Price: 1.72 USD Unit: pcs Polishing paper, 30 µm Polishing paper, 9µm, purple, for manual polishing in A4 format.	 #04706 Net Price: 0.044 USD Unit: pcs Splice protector, 40mm, with 1 mm steel wire Thermal shrinking tube / splice protector, 40 mm Diameter before shrinking: 3,6-2,8 mm Diameter after shrinking: 2,4 mm	 #07445 Net Price: 0.044 USD Unit: pcs Splice protector, 45mm, with 1 mm steel wire Thermal shrinking tube / splice protector, 45 mm Diameter before shrinking: 3,6-2,8 mm Diameter after shrinking: 2,4 mm
 #04107 Net Price: 0.044 USD Unit: pcs Splice protector, 45mm, with 1.5 mm steel wire Thermal shrinking tube / splice protector, 45 mm. Diameter of steel wire is 1.5mm Length: 45mm Diameter of steel wire: 1.5mm Diameter before shrinking: 4,0-3,1 mm Diameter after shrinking: 2,9 mm	 #07444 Net Price: 0.044 USD Unit: pcs Splice protector, 60 mm, with 1 mm steel wire Thermal shrinking tube / splice protector, 60 mm. Diameter of steel wire is 1mm Length: 60mm Diameter of steel wire: 1.0mm Diameter before shrinking: 3,6-2,8 mm Diameter after shrinking: 2,4 mm	 #04139 Net Price: 0.044 USD Unit: pcs Splice protector, 60 mm, with 1.5mm steel wire Thermal shrinking tube / splice protector, 60 mm. Diameter of steel wire is 1.5mm Length: 60mm Diameter of steel wire: 1.5mm Diameter before shrinking: 4,0-3,1 mm Diameter after shrinking: 2,9 mm
 #06234 Net Price: 69.80 USD Unit: pcs Universal scribe pen The double-sided sapphire stylus for precise cutting of the fiber end without damage to the ferrule.		
Other		
 #08838 Net Price: 0.045 USD Unit: pcs Adaptor screw Adaptor screw for patchpanel.	 #07417 Net Price: 0.078 USD Unit: pcs Blank insert for SC duplex adaptor Dust cover for fiber optic patch panel for SC duplex adaptor.	 #07416 Net Price: 0.078 USD Unit: pcs Blank insert for SC simplex adaptor Dust cover for fiber optic patch panel for SC simplex adaptor.



 #07436 Net Price: 0.078 USD Unit: pcs Cable organizer Cable organizer for FTTH cable installation use.	 #07425 Net Price: 0.007 USD Unit: pcs FTTH Cable clip Cable clip for FTTH cable installation use.	 #07508 Net Price: 62.00 USD Unit: pcs Rack for spare cable with cover, 410x410x100mm
 #07509 Net Price: 66.20 USD Unit: pcs Rack for spare cable with cover, 610x610x100mm	 #04979 Net Price: 37.20 USD Unit: pcs Rack for spare cable, 400x400x120mm	 #07460 Net Price: 10.80 USD Unit: pcs Rack for spare cable, 480mm
 #07461 Net Price: 12.20 USD Unit: pcs Rack for spare cable, 600mm	 #07783 Net Price: 0.202 USD Unit: pcs Splice tray with cover Splice tray with cover for 4 cores. Dimensions: 70x94x12mm	 #07440 Net Price: 0.605 USD Unit: pcs Splice tray with cover Economic splice tray with cover for 12 cores suitable for patch panel.
 #08923 Net Price: 0.961 USD Unit: pcs Splice tray with cover Splice tray with cover for 24 cores suitable for patch panel.	 #04108 Net Price: 0.873 USD Unit: pcs Splice tray with cover Splice tray with cover for 12 cores suitable for patch panel. Dimensions: 154x92x10mm Central hole diameter: 6mm	 #07415 Net Price: 0.863 USD Unit: pcs Splice tray with cover Splice tray with cover for 24 cores suitable for patch panel (for very slim sleeve 2mm).
 #07782 Net Price: 0.200 USD Unit: pcs Splice tray with cover Splice tray with cover for 2 cores. Dimensions: 57x94x12mm		

Index

Fiber Optic Patch Cords	1
Fiber Optic Pigtailes	13
Fiber Optic Cables	15
Fiber Optic Adaptors	17
Fiber Optic Connectors	20
Measuring Instruments	21
Fiber Optic Splice Boxes	23
Attenuators, Couplers, Splitters	26
FTTH Equipment	29
Fiber Optic Tools, Consumables	30
Other	31